# Computer (331) (E)

TIME: 2:00 HRS.]

**BOARD'S PAPER MARCH: 2018** 

[TOTAL MARKS: 100

- 1) In HTML, which element is used to insert various fields like radio button, textbox and checkbox in the form?
  - (A) <Select>
- (B) <Area>
- (C) <Input>
- (D) <Radio button>
- In KompoZer, which menu-option is used to 2) view the different toolbars and status bar?
  - (A) View → Show / Hide
  - (B) Edit  $\rightarrow$  Show / Hide
  - (C) Insert  $\rightarrow$  Menu
  - (D) Edit  $\rightarrow$  Display
- 3) In KompoZer, which of the following viewing mode Edit mode toolbar offers the page view as seen in a browser?
  - (A) Normal view
- (B) HTML Tags view
- (C) Preview mode
- (D) Print view
- 4) In KompoZer, which tab of the page pane is used to design the web page?
  - (A) Design (B) Source (C) Split
- 5) In KompoZer, which menu-option is used to create a form?
  - (A) Insert  $\rightarrow$  Form  $\rightarrow$  Create Form
  - (B) Insert  $\rightarrow$  Form  $\rightarrow$  Define Form
  - (C) Edit  $\rightarrow$  Form
  - (D) Format  $\rightarrow$  Form  $\rightarrow$  Create Form
- When webpage viewed in the browser, where 6) the page title will be displayed?
  - (A) In Title bar
- (B) In Status bar
- (C) In Navigation pane (D) In Menu bar
- In HTML, which of the following attribute of 7) form specifies the HTTP method to be used when sending the data?
  - (A) Input (B) Submit (C) Action (D) Method
- 8) Which of the following is a free open source web development IDE?
  - (A) HTML
- (B) KompoZer
- (C) SciTE
- (D) Base
- Which of the following is an HTML element on 9) which style can be applied?
  - (A) select
- (B) declare
- (C) selector
- (D) declaration

- 10) In KompoZer, Cascade button is available on which toolbar?
  - (A) Composition toolbar
  - (B) Format toolbar 1
  - (C) Format toolbar 2
  - (D) Menu bar
- 11) In the CSS Stylesheets dialog box of KompoZer, a style rule for each element we have added will appear below which of the following headings?
  - (A) External Style
- (B) Internal Stylesheet
- (C) New Stylesheet
- (D) Public Stylesheet
- In CSS Stylesheets dialog box of KompoZer, 12) which tab shows the CSS code which is generated?
  - (A) Text
- (B) Background
- (C) General
- (D) Aural
- 13) In JavaScript, which sign is used as a mark of Separation?
  - (A) ; (semicolon)
- (B) : (colon)
- (C) . (full stop)
- (D), (comma)
- In JavaScript, which keyword is used to define a function?
  - (A) fun
- (B) FUNC
- (C) Func
- (D) function
- Which of the following is an example of inbuilt 15) JavaScript function?
  - (A) hello()
- (B) validateForm()
- (C) alert()
- (D) myFun()
- Which of the following statement is true for 16) JavaScript variable?
  - (i) Variables in JavaScript are case sensitive.
  - (ii) JavaScript variable can store numbers, strings or text.
  - (iii) In JavaScript, variables can be declared using VAR keyword.
  - (A) only (i) and (ii)
- (B) only (ii) and (iii)

  - (C) only (i) and (iii) (D) (i), (ii) and (iii)
- 17) In JavaScript, which event occurs when a document or image is loaded?
  - (A) click
- (B) focus
- (C) load
- (D) abort

| 430         |  |             |  |
|-------------|--|-------------|--|
| 18)         | In JavaScript, isNaN(123) function returns       | :           | (A) www.ebay.com   |
| * 2.        | what ?   |             | (B) Shopping indiatimes.com  |
|             | (A) 123 (B) -1 (C) true (D) false                |             | (C) www.mybids.in  |
| 19)         | In Table Properties dialog box of KompoZer,      |             | (D) www.onlineauction.com  |
|             | which value of table tab is used to give caption | 28)         | In E-commerce, notices and reminders sent to   |
|             | to the Table ?                                   |             | the customer by the companies or banks is an   |
|             | (A) Caption (B) Title                            |             | example of which of the following services?  |
|             | (C) Row Title (D) Column Title                   |             | (A) Online billing   |
| <b>20</b> ) | In KompoZer, which menu-option is used to        |             | (B) Information services   |
| ,           | give a color to the text?                        |             | (C) Support services   |
|             | (A) Font $\rightarrow$ Color                     |             | (D) Online banking   |
|             | (B) Format $\rightarrow$ Font Color              | <b>29</b> ) | Which of the following is an advantage of  |
| ť           | (C) Format $\rightarrow$ Text Color              |             | E-commerce ?   |
|             | (D) Edit $\rightarrow$ Font Color                |             | (A) Security (B) Privacy   |
| 21)         | In KompoZer webpage, which menu-option is        |             | (C) Initial cost   |
| 1           | used to insert a horizontal line?                | 00)         | (D) Conduct business 24 × 7  |
|             | (A) Insert $\rightarrow$ Line                    | 30)         | Which of the following E-commerce business   |
|             | (B) Insert $\rightarrow$ Horizontal line         |             | model refers to business and organizations that sell products or services to consumers                                 |
|             | (C) Edit $\rightarrow$ Horizontal line           |             | over the Internet using websites?  |
| •           | (D) Format $\rightarrow$ Line                    |             | (A) Business to Consumer - (B2C)   |
| <b>22</b> ) | Which of the following is used to transfer web   |             | (B) Business to Business - (B2B)   |
|             | pages from user computer to the web host?        |             | (C) Consumer to Business - (C2B)   |
|             | (A) FTP (B) SMTP (C) PPT (D) STTP                |             | (D) Government to Business - (G2B)   |
| <b>23</b> ) | Aptana Studio open source software can be        | 31)         | commodity.com and tradeindia.com websites  |
|             | easily downloaded from which of the following    |             | are examples of which of the following   |
|             | website?   |             | E-commerce business model?   |
|             | (A) www.aptana.org (B) www.aptana.edu            |             | (A) Business to Consumer - (B2C)   |
|             | (C) www.aptana.net (D) www.aptana.com            |             | (B) Business to Business - (B2B)   |
| <b>24</b> ) | Which of the following free open source          |             | (C) Consumer to Consumer - (C2C)   |
|             | WYSIWYG HTML editor supports languages           |             | (D) Consumer to Business - (C2B)   |
|             | like English, Dutch, German, Chinese and         | 32)         | Which of the following website is not an   |
|             | many more ?                                      |             | example of customer to customer (C2C)  |
|             | (A) Aptana Studio (B) Blue Griffon               |             | E-commerce business model ?  |
|             | (C) Amaya (D) KompoZer                           |             | (A) eBay.com (B) rediff.com  |
| <b>25</b> ) | Which of the following is not an important       |             | (C) OLX.com (D) Quikr.com  |
|             | point of website development planning            | 33)         | On which of the following website GSWAN is   |
|             | process?   |             | online available ?   |
|             | (A) Purpose (B) Audience                         |             | (A) www.gswan.com.in   |
| 00)         | (C) Content (D) Input                            |             | (B) www.gswan.org.in   |
| <b>26</b> ) | Using which of the following inbuilt JavaScript  |             | (C) www.gov.gswan  |
|             | function data can be converted into number?      | 24)         | (D) www.gswan.gov.in   |
|             | (A) isNaN() (B) isNumber()                       | 34)         | Stock market services offered via mobile devices are known as?   |
|             | (C) parseNumber() (D) parseFloat()               |             |  |
| <b>27</b> ) | Which of the following is not a popular website  | ,           | <ul><li>(A) Mobile Banking</li><li>(B) M-Banking</li><li>(C) Mobile Brokerage</li><li>(D) Mobile Transaction</li></ul> |
|             | for online auction ?                             | 1           | (C). MIODIE DIOVETARE (D) MIODIE HUITSACHOH  |

| 35)         | Which of the following is not an important security aspect of E-commerce / M-commerce security? | 44)      | 44) Which of the following refers to representation of data in which the implementation details are hidden? |  |  |  |
|-------------|---|----------|---|--|--|--|
|             | (A) Confidentiality (B) Integrity   |          | (A) Encapsulation (B) Abstraction   |  |  |  |
|             | (C) Authorization (D) Navigation  |          | (C) Polymorphism (D) Composition  |  |  |  |
| <b>36</b> ) | Which of the following is a computer program  | 45)      | Polymorphism is achieved using how many   |  |  |  |
|             | that detects, prevents and takes action to remove   |          | types of overloading?   |  |  |  |
|             | the malicious code from the infected system?  |          | (A) Two (B) Three (C) One (D) Four  |  |  |  |
|             | (A) Digital certificate (B) Cryptography  | 46)      | Which of the following represents non-  |  |  |  |
|             | (C) Antivirus Software (D) Firewall   |          | exclusive relationship between two classes?   |  |  |  |
| 37)         | Which of the following is not a symbol of   |          | (A) Aggregation (B) Composition   |  |  |  |
|             | trademark ?   |          | (C) Inheritance (D) Polymorphism  |  |  |  |
|             | (A) TM (B) SM (C) © (D) ®   | 47)      | In Inheritance, what is called an existing class?   |  |  |  |
| 38)         | Which of the following is a digital code inserted   |          | (A) sub class (B) super class   |  |  |  |
|             | into a digital image, audio or video file which   |          | (C) child class (D) derived class   |  |  |  |
|             | can identify the file's copyright information?  | 48)      | Which of the following statement is true for  |  |  |  |
|             | (A) Image mark (B) Digital mark   | <b>.</b> | Java language ?   |  |  |  |
| 20)         | (C) Code mark (D) Water mark  |          | (i) Java language was developed by Sun  |  |  |  |
| 39)         | Which of the following is a new card payment  |          | Microsystem.  |  |  |  |
|             | mechanism launched by National Payment Corporation of India (NPCI) ?                            |          | (ii) Java is an object-oriented language.   |  |  |  |
|             | (A) Rupy (B) PayRupy  |          | (iii) Java is not platform-independent at both the source and binary level.                                 |  |  |  |
|             | (C) Rudeb (D) RuPay   |          | (A) only (i) and (ii) (B) only (ii) and (iii)   |  |  |  |
| 40)         | Which of the following statement is true for  |          | (C) only (i) and (iii) (D) (i), (ii) and (iii)  |  |  |  |
| 40)         | object oriented programming language?   | 49)      | In Java, float data type takes how many bytes   |  |  |  |
|             | (i) It uses object as its fundamental building  | 40)      | of storage space?   |  |  |  |
|             | block.  |          | (A) 2 bytes (B) 4 bytes   |  |  |  |
|             | (ii) Similar objects are classified using a   |          | (C) 8 bytes (D) 16 bytes  |  |  |  |
|             | concept of class.   | 50)      | In Java, variable name must begin with which  |  |  |  |
|             | (iii) Abstration, encapsulation, polymorphism   |          | of the following?   |  |  |  |
|             | and inheritance is its basic properties.  |          | (A) % (B) digits  |  |  |  |
|             | (A) only (i) and (ii) (B) only (ii) and (iii)   |          | (C) spaces (D) alphabet   |  |  |  |
|             | (C) only (i) and (iii) (D) (i), (ii) and (iii)  | 51)      | Which of the following statement is right for   |  |  |  |
| 41)         | Which of the following best suits to Java?  |          | boolean literals in Java ?  |  |  |  |
|             | (A) A procedural programming language   |          | (i) 0 is treated as false and 1 is treated as true.   |  |  |  |
|             | (B) An object-oriented programming language   |          | (ii) Literals are to be typed without quotes.   |  |  |  |
|             | (C) A query language  |          | (iii) For the boolean type, there are two literals,   |  |  |  |
| 40)         | (D) An editor   |          | true and false.   |  |  |  |
| <b>42</b> ) | Which of the following is not a section of the  |          | (A) only (i) and (ii) (B) only (ii) and (iii)   |  |  |  |
|             | icon that is used to represent a class in class diagram?  |          | (C) only (i) and (iii) (D) (i), (ii) and (iii)  |  |  |  |
|             | (A) Name (B) Attribute  | 52)      | Which of the following is not a basic arithmetic  |  |  |  |
|             | (C) Behavior (D) Datatype   |          | operator of Java ?  |  |  |  |
| 43)         | In a class diagram, which symbol is used for  | E2)      | (A) + (B) - (C) * (D) \   |  |  |  |
| -13)        | Public visibility?  | 53)      | Which of the following is not a comparison operator in Java?  |  |  |  |
|             | (A) - (B) # (C) + (D) ~   |          | •   |  |  |  |
|             |   | I        | (A) $<=$ (B) $>=$ (C) $=$ (D) $!=$  |  |  |  |
|             |   |          |   |  |  |  |

| <b>54</b> ) | in Java?  | 64) | what is the default visibility?   |
|-------------|---|-----|---|
|             | (A) One (B) Two (C) Three (D) Four  |     | (A) Public (B) Package  |
| <b>55</b> ) | In the switch statement of Java, the test   |     | (C) Protected (D) Private   |
|             | expression should be of which of the following type ?                                       | 65) | In Java, which of the following visibility modifier is used to achieve highest level of |
|             | (A) float (B) double  |     | protection ?  |
|             | (C) byte (D) boolean  |     | (A) Public (B) Package  |
| <b>56</b> ) | In Java, which of the following loop is a exit-   |     | (C) Protected (D) Private   |
|             | controlled or post-test loop construct?   | 66) | In Java, if we want to allow data to be modified  |
|             | (A) for loop (B) while loop   |     | by others, then which method do we have to  |
| ,           | (C) do while loop (D) switch  |     | write ?   |
| 57)         | After execution of which statement in the loop  |     | (A) Accessor (B) Mutator  |
|             | of Java, all the following statements in a body   |     | (C) Accepter (D) Edit   |
|             | of the loop are skipped and no further iteration take place?                                | 67) | In Java, which keyword is used to call the  |
|             | (A) continue (B) go   |     | constructor of superclass in the constructor of   |
|             | (A) Continue (B) go (C) break (D) loop  |     | subclass.   |
| 58)         | In Java, which of the following is not a step of  |     | (A) Base (B) Sub (C) Super (D) Parent   |
| 30)         | creating an object from a class?  | 68) | In Java, array index value starts from which number?                                    |
|             | (A) Declaration (B) Instantiation   |     | (A) 0 (B) 1 (C) -1 (D) 8  |
| <b>-</b> 0) | (C) Initialization (D) Calculation  | 69) | In Java, initial value for 1-D array are  |
| <b>59</b> ) | Which operator is used to access instance variable via object in Java?                      |     | separated using which symbol?   |
|             |   |     | (A) . (full stop) (B) , (comma)   |
| CO)         | (A): (B), * (C) + (D).  |     | (C) : $(colon)$ (D) $- (dash)$  |
| <b>60</b> ) | In Java, which of the following variables can be accessed without creating an instance of a | 70) | Which of the following is not a correct way to  |
|             | class?  |     | create and initialize an array named marks?   |
|             | (A) Instance (B) Static   |     | (A) int marks [] = new int [3];   |
|             | (C) Local (D) Private   |     | (B) int [] marks = new int [3];   |
| 61)         | In Java, variables defined inside methods or  |     | (C) int marks $[] = \{0, 10, 20\};$   |
| ,           | blocks are known as which type of variable?   | l   | (D) int marks $[3] = \{0, 10, 20\};$  |
|             | (A) Local (B) Instance  | 71) | sort() and fill() are methods of which of the   |
|             | (C) Class (D) Public  |     | following Java class?   |
| <b>6</b> 2) | In Java, which of the following refers to   |     | (A) java.string   |
|             | different methods that have the same name   |     | (B) java.util.Arrays  |
|             | but a different signature ?   |     | (C) java.io   |
|             | (A) Method overloading  | -0  | (D) java.util.io  |
|             | (B) Duplicate method  | 72) | In the following statement for declaring two-   |
|             | (C) Instance method   | İ   | dimensional array of Java 5 represents what ?   |
|             | (D) Overridden method   |     | int marks [ ] [ ] = new int [5] [3]   |
| 63)         | In Java, which method is invoked automatically  |     | (A) number of rows  |
|             | with creation of an object?   |     | (B) number of columns   |
|             | (A) Instance method (B) Constructor   |     | (C) array size  |
|             | (C) Class method (D) Local method   |     | (D) number of bytes   |
|             |   |     |   |

| 73)         | In Java, which of the following constructor creates a string object same as object specified | 82)         | In Java exception handling, which of the following block is always executed regardless |
|-------------|--|-------------|--|
|             | in argument ?  |             | of whether or not exceptions are thrown  |
|             | (A) String (char ary [ ])  |             | during the execution of the associated try   |
|             | (B) String ( )   | .'          | block ?  |
|             | (C) String (String literal)  |             | (A) throw (B) finally  |
|             | (D) String (String strObj)   |             | (C) catch (D) new  |
| 74)         | In Java, int compareTo (String str) method   | 83)         | The object that we throw must be of which of   |
|             | returns which of the following value if invoking string is greater than str?                 |             | the following Java class type?   |
|             | (A) 0 (B) >0   |             | (A) java.lang.throw  |
|             | (C) <0 (D) Logical value   |             | (B) java.lang.catch  |
| <b>75</b> ) | Which of the following method of Java, returns   |             | (C) java.lang.throws   |
| (3)         | an array of characters as bytes from invoking  |             | (D) java.lang.Throwable  |
|             | string?  | 84)         | In Java, when we write data to stream, what is   |
| .: .        | (A) string concat() (B) char getByte()   |             | that stream called ?   |
|             | (C) byte[] getBytes()(D) string to bytes()   |             | (A) output stream (B) input stream   |
| <b>76</b> ) | In Java, which of the following method of Date   |             | (C) data stream (D) line stream  |
|             | class returns a string representing Date and   | <b>85</b> ) | In Java, text files and program codes are  |
|             | time of invoking object ?  |             | created using which stream?  |
|             | (A) Date() (B) String toString()   |             | (A) byte stream  |
|             | (C) Date char() (D) Date Text()  |             | (B) binary stream  |
| <b>77</b> ) | In Java, which constant of calendar class  |             | (C) character stream   |
|             | returns day number within a week?  |             | (D) boolean stream   |
|             | (A) DAY_OF_WEEK (B) DAY_OF_MONTH   | 86)         | In writer class of Java, which of the following  |
|             | (C) DAY_OF_YEAR (D) DATE   |             | exception occurs when there is a failed I/O operation?                                 |
| <b>78</b> ) | In Java program, if there is a syntax error,   |             |  |
|             | which of the following error we will get?  |             | (A) FileException (B) InputException (C) OutputException (D) IOException               |
|             | (A) compile-time (B) run-time  | 87)         | In Java, FileInputStream and FileOutputStream  |
| 70)         | (C) print-time (D) file save-time  | 07)         | are classes of which package that give us the  |
| <b>79</b> ) | In Java, which exception class is used for condition resulting in an attempt to access a     |             | ability to read and write bytes from and into any                                      |
|             | non-existing file?   |             | files in the disk?   |
|             | (A) ArrayIndexOutOfBoundsException   |             | (A) java.input (B) java.output   |
|             | (B) FileNotFoundException  |             | (C) java.file (D) java.io  |
|             | (C) NullPointerException   | 88)         | In Java, which method of scanner class scans   |
|             | (D) PrinterIOException   |             | the next token of the input as line?   |
| 80)         | In exception handing of Java, which block  |             | (A) String next() (B) String nextLine()  |
|             | contains the code that may give rise to one or   |             | (C) hasNext() (D) char hasNext()   |
|             | more exceptions ?  | 89)         | In Java, scanner class can be used to perform  |
|             | (A) throw (B) try (C) catch (D) finally  | 30,         | which of the following operations?   |
| 81)         | In Java exception handing, which block is  |             | (A) Accept input from the keyboard   |
|             | generally used to clean up at the end of   |             |  |
|             | executing a try block?   |             | (B) Write data into file   |
|             | (A) catch (B) finally  |             | (C) Reading password   |
|             | (C) throw (D) new  |             | (D) Count number of character in file  |

- 90) LaTeX commands start with which of the following character followed by the command name ?
  - (A) \ (backslash)
- (B) / (slash)
- (C) \$ (dollar)
- (D) (dash)
- 91) In LaTeX, which of the following command is inserted at the end of line to insert a break in lines?
  - (A) · \
- (B) #
- (C) %
- (D) \\
- 92) Which of the following is not a reserved character of LaTeX?
  - (A) #
- (B) o
- (C) \$
- (D) %
- 93) A LaTeX document has how many parts?
  - (A) one
- (B) two
- (C) three
- (D) four
- 94) Which of the following command structure is used to declare preinstalled packages in the preamble of LaTeX document?
  - (A) \import { package name }
  - (B) \insert { package name }
  - (C) \open { package name }
  - (D) \usepackage { package name }
- 95) In SciTE editor, which of the following shortcut key is used to compile LaTeX file?
  - (A) F4
- (B) F5
- (C) F7
- (D) F9

- 96) Which of the following techniques works by identifying repetition in the data and encodes the data in a way that reduces or eliminates such repetition?
  - (A) Data print
  - (B) Data hiding
  - (C) Data compression
  - (D) Data duplicate
- 97) Which of the following refers to a file that has an entire directory structure inside it?
  - (A) apache
- (B) archie
- (C) archi
- (D) archive
- 98) Which bar of VLC media player shows, how much of the current track has been played and what is its total duration?
  - (A) Menu bar
- (B) Tool bar
- (C) Progress bar
- (D) Status bar
- 99) In 'R' software, which of the following command is used to open online help in a browser?
  - (A) myhelp()
- (B) cmdhlp()
- (C) command()
- (D) help.start()
- 100) Which of the following desktop product of Rational plan allows us to manage independent projects that do not have common resources and has no interrelations between different projects?
  - (A) Single
- (B) Multi
- (C) Viewer
- (D) Print plan



#### Answers of Board Question Paper: March - 2018

| Ans. | (1 – C)  | (2 - A)  | (3 - C)         | (4 - A)  | (5 - B)  | (6 - A)  | (7 - D)  | (8 - B) (9 - C)   | (10 - A)  |
|------|----------|----------|-----------------|----------|----------|----------|----------|-------------------|-----------|
|      | (11 - B) | (12 - C) | (13 - A)        | (14 – D) | (15 – C) | (16 - A) | (17-C)   | (18 - D) (19 - A) | (20 - C)  |
|      | (21 - B) | (22 - A) | (23 – D)        | (24 - B) | (25 – D) | (26 – D) | (27 - B) | (28 - B) (29 - D) | (30 - A)  |
|      | (31 – B) | (32 - B) | (33 <b>–</b> D) | (34 – C) | (35 – D) | (36 – C) | (37 - C) | (38 – D) (39 – D) | (40 - D)  |
|      | (41 - B) | (42 – D) | (43 - C)        | (44 - B) | (45 - A) | (46 - A) | (47 - B) | (48 - A) (49 - B) | (50 – D)  |
|      | (51 - B) | (52 – D) | (53 – C)        | (54 - B) | (55 – C) | (56 – C) | (57 - C) | (58 - D) (59 - D) | (60 - B)  |
|      | (61 - A) | (62 - A) | (63 – B)        | (64 - B) | (65 – D) | (66 – B) | (67 - C) | (68 - A) (69 - B) | (70 - D)  |
|      | (71 - B) | (72 - A) | (73 – D)        | (74 – B) | (75 – C) | (76 - B) | (77 - A) | (78 - A) (79 - B) | (80 - B)  |
|      | (81 – B) | (82 - B) | (83 – D)        | (84 - A) | (85 - C) | (86 – D) | (87 – D) | (88 - B) (89 - A) | (90 - A)  |
|      | (91 – D) | (92 – B) | (93 – B)        | (94 – D) | (95 – C) | (96 – C) | (97 – D) | (98 – C) (99 – D) | (100 - A) |

#### STD. - 12

### Computer (331) (E)

| TIME | : | 2:00 | HRS.] |
|------|---|------|-------|
|      | • | -:00 |       |

**BOARD'S PAPER MARCH: 2018** 

[TOTAL MARKS: 100

- Which element allows multiline text input in 1) HTML form?
  - (A) longtext
- (B) checkbox
- (C) textarea
- (D) select
- 2) Which menu-option is used to view different tool bars (if not visible) in KompoZer?
  - (A) View  $\rightarrow$  Show / Hide
  - (B) Format  $\rightarrow$  Toolbar
  - (C) Edit  $\rightarrow$  Show / Hide
  - (D) Insert  $\rightarrow$  Toolbar
- Which colored outline is seen in form when 3) inserted in KompoZer?
  - (A) Green colored
  - (B) Yellow colored
  - (C) Light blue colored
  - (D) Red colored
- 4) To insert input "Text Field" in form of KompoZer which option is selected in field type menu of "Form Field Properties"?
  - (A) Submit button
- (B) Check box
- (C) Radio button
- (D) Text
- Which shortcut key is used to close the Site 5) Manager pane in KompoZer?
  - (A) F12
- (B) F5
- (C) F9
- (D) F10
- Which attribute of <form> element takes a 6) filename as value in HTML form?
  - (A) method
- (B) action
- (C) reset
- (D) value
- From the following, which variables defined 7) within a class, outside any method, with the static keyword in Java?
  - (A) Instance variable
  - (B) Local variable
  - (C) Class variable
  - (D) All of these
- 8) When no modifier is used, which is the default one having visibility only whithin a package that contain the class?
  - (A) Package
- (B) Private
- (C) Protected
- (D) Public

- Which level of protection is used to allow the 9) access only to sub class or to share with the method declared as "friend" in Java?
  - (A) Package
- (B) Protected
- (C) Public
- (D) Private
- 10) Accessor method is known as what in Java?
  - (A) Mutator
- (B) Accessor
- (C) Setter
- (D) Getter
- 11) Parent class is referred to a which class in object oriented programming language?
  - (A) Extended class
- (B) Child class
- (C) Sub class
- (D) Base class
- **12**) Which type of relationship between composition and aggregation class?
  - (A) is not a
- (B) is a kind of
- (C) has-a
- (D) is-a
- 13) Which of the following is the keyword used to refer a super class constructor in sub class constructor?
  - (A) new
- (B) name of super class
- (C) super
- (D) extends
- From the following which is not a class of 14) java.io package?
  - (A) Writer class
  - (B) Scanner class
  - (C) Reader class
  - (D) Character stream class
- Scanner class can be used for performing which of the following operations?
  - (A) Accept input from the keyboard
  - (B) Read from the file
  - (C) Parse a string separated by delimeter
  - (D) All of these
- 16) Which is the base class for reading a character stream?
  - (A) Byte stream class (B) Writer class
  - (C) Reader class
- (D) Scanner class
- From the following which devices is classified 17) into input and output device both?
  - (A) Mouse
- (B) Hard disk
- (C) Monitor
- (D) Keyboard

| 18) | What is the full form of PDF?  | 28)   | From the following who ensures that the information must not be accidentally or         |
|-----|--|-------|---|
|     | (A) Portable Document Format   |       | maliciously altered or tempered in transit?   |
|     | (B) Private Document File  |       | (A) Non-repudiation (B) Authorisation   |
|     | (C) Process Document Format  | 5     | (C) Integrity (D) Confidentiality   |
| 10) | (D) Protocol Document Format   | 29)   | In which internet security threat, electronic   |
| 19) | Which event occurs when document or image  | 23,   | defacing of an existing website page found and  |
|     | is loaded in JavaScript?   |       | an attacker replaces the website's original   |
|     | (A) load (B) blur<br>(C) change (D) focus  |       | content with his/her own content ?  |
| 20) | 3  |       | (A) Denial of service attack  |
| 20) | Which is the top level object in the Browser Object Model?                                   |       | (B) Cyber vandalism   |
|     |  |       | (C) Spoofing  |
|     | (A) location (B) history   |       | (D) Sniffing  |
|     | (C) document (D) window  | 30)   | Trademark is designated by which symbol?  |
| 21) | While filling forms on Internet, some fields are marked with a red colour asterisk mark "*". | 00,   | (A) TD (B) (C) and (D) both   |
|     | What does it mean?   | ,     | (C) ® (D) SM  |
| /   |  | 31)   | From the following which bank issues the  |
|     | (A) Enter only character in field.   | 31)   | credit card and guarantees the payment to the   |
|     | (B) Enter only number in field.  |       | merchant?   |
|     | (C) It is a compulsory field.  |       | (A) Paypal (B) (C) and (D) both   |
|     | (D) It is not a compulsory field.  |       | (C) Acquiring bank (D) Issuing bank   |
| 22) | If the value is not a number then what is  | 32)   | Which type of array is used like table of rows  |
|     | return by isNaN() in JavaScript?   | 32)   | and columns?  |
|     | (A) False (B) True (C) No (D) Yes  |       |   |
| 23) | Which of the following symbol signifies the  |       | (A) Minor array (B) 2–D array (C) 1–D array (D) Primitive array                         |
|     | start and end of a JavaScript block?   | 33)   | int marks [ ] [ ] = new int [5] [3];  |
|     | (A) Round bracket (B) Curly bracket  | 33)   |   |
|     | (C) Square bracket (D) Semicolon   |       | How many bytes are used in storage space?   |
| 24) | Which of the following file name is the home   | امدا  | (A) 60 (B) 3 (C) 5 (D) 15   |
|     | page of the website saved as ?   | 34)   | Which constructor creates a string object   |
|     | (A) firstpage.html (B) first.html  |       | which is same as object specified in argument   |
|     | (C) index.html (D) home.html   |       | (A) String ()   |
| 25) | To give caption to table if requires, which  |       | (B) String (char ary [])  |
|     | option is used in Table Properties?  |       | (C) String (String strObj)  |
|     | (A) Page title (B) Caption   | ۱ ۵۳۷ | (D) string (String literal)   |
|     | (C) Title (D) Heading  | 35)   | From the following which method of string class returns a string with all characters of |
| 26) | All the rules related to tax, different forms and  |       | invoking string converted to upper case?  |
|     | facility for submission of online tax returns  |       | (A) int length ()   |
|     | services are provided in which type of model?  |       | (B) byte [] getBytes  |
|     | (A) C2C (B) C2B  | ì     |   |
| 0.5 | (C) B2C (D) G2B  | ,     | (C) String to Lowercase ( )   |
| 27) | From the following location based services,  |       | (D) String to Uppercase ()  |
|     | which service provides "tracking of assets locating friends in a geographic location,        |       | Data class is in which package in Java?   |
|     | tracking stolen cars" services?  |       | (A) java.io   |
|     |  |       | (B) java.util   |
|     | (A) Mapping (B) Emergency services   |       | (C) java.lang   |
|     | (C) Tracking services (D) Navigation   |       | (D) java.io.class   |

(A) boolean

**37**)

What type of value is returned when we use get | 45)

(B) string

method of Calendar class with constant

DAY\_ OF\_WEEK as an argument ?

From the following which is the syntax of

throw exception object?

(A) object\_exception;

(B) exception\_object;

|              | (C) char (D) int                               |             | (C) throw exception_object;                      |
|--------------|--|-------------|--|
| <b>38</b> )  | Which was the one of the first applications of |             | (D) throw object_exception;                      |
|              | E-commerce on Internet ?                       | <b>46</b> ) | Which method of the scanner class helps in       |
|              | (A) Internet bookshops                         |             | reading integer input from the console?          |
|              | (B) Online billing                             |             | (A) nextInt ( ) (B) readInt ( )                  |
|              | (C) Online auction                             |             | (C) writeInt ( ) (D) None of these               |
|              | (D) Electronic newspaper                       | 47)         | When some problem occured while executing the    |
| <b>39</b> )  | From the following which is the example of     | /           | command, what is displayed by "Exit code"?       |
|              | online auctions ?                              |             | (A) # (B) error (C) 0 (D) 1                      |
|              | (A) www.bookshopofindia.com                    | 48)         | From the following, which file extension is not  |
|              | (B) www.buybooksindia.com                      |             | used for text file ?                             |
|              | (C) www.indiatimes.com                         |             | (A) .c (B) .jpeg (C) .java (D) .txt              |
|              | (D) www.mybids.in                              | 49)         | Which method of file class is return true if the |
| 40)          | Notices and reminders sent to the customer by  |             | file or directory is hidden?                     |
|              | the companies or bank is example of which      |             | (A) boolean isHidden ( )                         |
|              | service ?                                      |             | (B) boolean exists ( )                           |
|              | (A) Marketing                                  |             | (C) boolean isDirectory ( )                      |
|              | (B) Auction                                    |             | (D) boolean isFile ( )                           |
|              | (C) Information service                        | <b>50</b> ) | To keep the 'checkbox' checked, which option     |
|              | (D) Support service                            | ""          | is selected when the form load in KompoZer?      |
| 41)          | From the following, which is not a feature of  |             | (A) Initially Checked (B) Selection list         |
|              | traditional commerce ?                         |             | (C) Initially load (D) By default                |
|              | (A) Hiring of sales persons, sales manager and | 51)         | Which menu-option is used to give a              |
|              | many more.                                     | ,           | background color in form of KompoZer?            |
|              | (B) No sharing of information with             |             | (A) Edit → Page colors and Background            |
|              | competitors.                                   |             | (B) Format → Page colors and Background          |
|              | (C) E-payment systems are used for receiving   |             | (C) View → Page colors and Background            |
|              | payment.                                       |             | (D) Insert → Background                          |
|              | (D) Operates within certain period of time.    | 52)         | Which part of CSS syntax consists of a           |
| 42)          | From the following in which E-commerce         | "           | property associated with the HTML element        |
|              | model, sellers can sell products directly to   |             | used in selector and its corresponding value ?   |
| •            | consumers and buyers are individual            |             | (A) Value (B) Property                           |
|              | customers ?                                    |             | (C) Selector (D) Declaration                     |
|              | (A) C2B (B) B2C (C) B2B (D) C2C                | 53)         | From the following, which is a disadvantage in   |
| 43)          | From the following which are the examples of   |             | CSS ?  |
|              | B2B model ?                                    |             | (A) Set the style for each element only once.    |
| •            | (A) Commodity.com (B) Quikr.com                |             | (B) CSS compatibility varies with different      |
|              | (C) OLX.com (D) eBay.com                       |             | browsers.  |
| 44)          | Which block is generally used to clean up at   |             | (C) Website designing quick and efficient using  |
| - <b>-</b> / | the end of executing a try block?              |             | CSS.   |
|              | (A) finally (B) catch (C) retry (D) try        |             | (D) CSS has less code compared to that in HTML   |

| 34)         | entered in the HTML forms on the client side     | 04) | is used to access instance variable?                                |
|-------------|--|-----|---|
|             | before sending it to the server?                 |     | (A) lower to upper (B) upper to lower                               |
|             | (A) KomopZer (B) HTML tag                        |     | (C) left to right (D) right to left                                 |
|             | (C) JavaScript (D) CSS                           | 65) | \documentclass [12 pt]{artical}; from this given                    |
| <b>55</b> ) | What is the use of semicolon sign in JavaScript? |     | statement which is an optional argument in LaTex ?                  |
|             | (A) Statement termination                        |     | ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '                               |
|             | (B) Statement separation                         |     | (A) 12 pt, artical (B) documentclass                                |
|             | (C) Each statement making bold                   | 66) | (C) {artical}; (D) [12 pt] Which document class is used for writing |
|             | (D) None of these                                | 00) | individual articles in LaTex?                                       |
| <b>56</b> ) | What kind of alert() function in JavaScript?     |     | (A) beamer (B) slides   |
|             | (A) Modular (B) (C) and (D) both                 |     | (C) article (D) book  |
| ξ           | (C) Inbuilt function (D) Userdefined             | 67) | Which package is used to add support for                            |
| 57)         | From the following which is legal name of        |     | multilevel lists in LaTex ?   |
|             | variable ?                                       |     | (A) easylist (B) listing  |
| 1           | (A) birth date (B) birth_date                    |     | (C) amsmath (D) setspace  |
|             | (C) %discount (D) 4balance                       | 68) | Which command can be used to create a                               |
| 58)         | Which numeric digits are used for Hexadecimal    |     | section that is not automatically numbered?                         |
|             | numbers (16 digits) in integer literals in Java? |     | (A) \part (B) \section *  |
|             | (A) 0 to 8 and A to E                            |     | (C) \counter (D) \setcounter *                                      |
|             | (B) 0 to 9 and A to F                            | 69) | From the following which sign is used as comment in LaTex?          |
|             | (C) 0 to 15                                      |     | (A) & (B) # (C) % (D) \$  |
| •           | (D) 0 to 16                                      | 70) | Which shortcut key is used when compilation                         |
| <b>59</b> ) | What is the symbol for multi-line comment in     | (9) | is successful?  |
|             | Java programme ?                                 |     | (A) F5 (B) F12 (C) F7 (D) F9  |
|             | (A) /* and */ (B) //* and *//                    | 71) | Inheritance is generally referred to which kind                     |
|             | (C) * and * (D) //                               |     | of relationship between two classes?                                |
| <b>60</b> ) | In Java, what will be the result of arithmatic   |     | (A) 'not is – a' relationship                                       |
|             | expression 8%3 ?                                 |     | (B) 'a – part – of' relationship                                    |
| •           | (A) 8 (B) 3                                      |     | (C) 'is – like' relationship  |
|             | (C) 4 (D) 2                                      | 70) | (D) 'is – a' relationship   |
| 61)         | Which sign is used for "A not equal to B" in     | 72) | Composition model refers to which of the following relationship?    |
|             | comparison operator of Java?                     |     | (A) Non exclusive (B) Exclusive                                     |
|             | (A) $A \neq B$ (B) $A != B$                      |     | (C) 'a – kind – of' relationship                                    |
|             | (C) A not equal B (D) $A == B$                   |     | (D) None of these   |
| <b>62</b> ) | Which step of creating an object from a class    | 73) | From the following which mechanism                                  |
|             | initialize the newly created object?             |     | providing protection to data and methods of a                       |
|             | (A) New (B) Instantiation                        |     | program ?   |
|             | (C) Declaration (D) Initialization               |     | (A) Aggregation (B) Composition                                     |
| 63)         | In Java, who looks for unused objects and        |     | (C) Polymorphism (D) Encapsulation                                  |
|             | reclaims the memory?                             | 74) | When the program gets compiled without                              |
|             | (A) Class variable (B) Function                  |     | errors, compiler creates which type of file extension in Java?      |
|             | (C) Polymorphism (D) Garbage collector           |     | (A) .class (B) .java (C) .c++ (D) .c                                |
|             | ( ) ( ) ( )                                      | •   | ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )                             |
|             |  |     |   |

| <b>75</b> ) | From the following which is not compiled or interpreted in Java?                           | 84)      | Which menu-option is used to change the page title of web page in KompoZer? |
|-------------|--|----------|---|
|             | (A) if statement (B) Function  |          | (A) Format $\rightarrow$ Page title and Properties                          |
|             | (C) Comment (D) Variable   |          | (B) View $\rightarrow$ Page title $\rightarrow$ Properties                  |
| <b>76</b> ) | Which menu-option is used if the program is  |          | (C) Insert $\rightarrow$ Page title $\rightarrow$ Properties                |
|             | compiled without any error ?   |          | (D) Edit $\rightarrow$ Page title $\rightarrow$ Properties                  |
|             | (A) Tools $\rightarrow$ Execute (B) Edit $\rightarrow$ Go                                  | 85)      | Which of the following is a variable that is                                |
|             | (C) Tools $\rightarrow$ Go (D) Tools $\rightarrow$ Compile                                 |          | stored on the users computer?   |
| <b>77</b> ) | In Java, boolean data type hold which logical  |          | (A) Java  |
|             | values ?   |          | (B) HTML  |
|             | (A) Y, N (B) 0, 1  |          | (C) Integer   |
| ŕ           | (C) True, False (D) Yes, No  |          | (D) Cookie  |
| <b>78</b> ) | Which zip format is used in Java?  | 86)      | From the following, who offers limited free                                 |
|             | (A) ZAR (B) Openoffice.org   |          | space on the webserver?   |
|             | (C) TAR (D) JAR  | -        | (A) SSL (B) ISP   |
| <b>79</b> ) | To open a play list in VLC player which menu -   | 05)      | (C) FTP (D) IDE   |
|             | option is used ?   | 87)      | What is the full form of FTP?   |
|             | (A) View $\rightarrow$ Open directory  |          | (A) First Tool Process  |
|             | (B) Media $\rightarrow$ Open directory   |          | (B) File Transfer Property  |
|             | (C) View $\rightarrow$ Play list   |          | (C) File Transfer Protocol  |
|             | (D) Media $\rightarrow$ Save play list   |          | (D) File Transfer Process   |
| <b>80</b> ) | Which service provides the facility of finding   | 88)      | From the following which are the open source                                |
|             | the nearest ATM centre, bank, bus stop?  |          | web development tools ?   |
|             | (A) Hotspot (B) GSP  |          | (A) Aptana Studio   |
|             | (C) GPS (D) Wifi   | ļ        | (B) BlueGriffon   |
| <b>81</b> ) | Which software is used for Statistical   |          | (C) Amaya   |
|             | computing?   |          | (D) All of these  |
|             | (A) Rational plan (B) Skype  | 89)      | If 'str' is the object of string class and its                              |
| 20)         | (C) 'R' software (D) Character map   |          | content is "I_Like_Computer", then what is the value of str.length()?       |
| <b>82</b> ) | From the following which Rational plan allow   | ls       | (A) 15 (B) 19   |
|             | us to manage independent projects?  (A) Multi  |          | (C) 17 (D) 13   |
|             |  | 90)      | What stands for AM and PM in integer  |
| , .         | (B) Viewer   | 30)      | constant of calender class?   |
|             | (C) Single   |          | (A) 0 and 0 (B) 1 and 1   |
| 02)         | (D) None of these  |          | (C) 1 and 0 (D) 0 and 1   |
| <b>83</b> ) | Which option of Image Properties dialog box will display the text in case the image is not |          | Which braces is used in 2-D array using                                     |
|             | displayed in the browser in KompoZer?  |          | comma separated values of data elements?                                    |
|             | (A) Alternate text   |          |   |
| - '         | (B) Don't use alternet text  |          |   |
|             | (C) Text   | ,,,      | (C) {} (curly bracket)  |
| ٠.          | (D) Tooltip  | ar in in | (C) {} (curly bracket) (D) [] (square bracket)                              |
|             | (=) 100mp  | 1        |   |
|             |  |          |   |

- 92) Which of the following refer to the starting index value in arrays?
  - (A) 1
  - (B) 0
  - (C) null
  - (D) All of these
- 93) In Java, all kinds of error conditions are called what ?
  - (A) Error
- (B) Exception
- (C) Abbreviation
- (D) Anomaly
- 94) Which exception class observed when an attempt to access a non existing file?
  - (A) NumberFormatException
  - (B) NullPointerException
  - (C) ArithmeticException
  - (D) FileNotFoundException
- 95) Which of the following is a computer program that detects, prevents and takes action to remove the malicious codes like viruses, worms and trojan horses from the infected system?
  - (A) Antivirus software
  - (B) Encryption
  - (C) Cryptography
  - (D) Digital certificate

- 96) In which way of programming, the focus is on writing functions or procedures which operate on data?
  - (A) Object oriented programming
  - (B) Procedural programming
  - (C) Query language
  - (D) All of these
- 97) In object oriented programming, attributes that describe the object are known as what?
  - (A) Object
- (B) Data Field
- (C) Method
- (D) Behaviour
- 98) What is in the middle section of class diagram?
  - (A) Method of class
  - (B) Attributes or properties of the class
  - (C) Behaviour or operation of class
  - (D) Name of the class
- 99) Which sign is used for 'Package' visibility?
  - (A) ~
- (B) +
- (C) #
- (D) -
- 100) In which feature, object oriented programming allows defining more than one method having same but different signature in class?
  - (A) Aggregation
  - (B) Data abstraction
  - (C) Function or method overloading
  - (D) Encapsulation



## Answers of Board Question Paper: March - 2018

| Ans.: | (1 - C)  | (2 - A)  | (3 - C)  | (4 - D)  | (5 - C)  | (6 - B)  | (7 - C)  | ( <b>8</b> – <b>A</b> ) | (9 - B)  | (10 - D)  |
|-------|----------|----------|----------|----------|----------|----------|----------|-------------------------|----------|-----------|
|       | (11 – D) | (12 - C) | (13 - C) | (14 - B) | (15 – D) | (16 - C) | (17 - B) | (18 - A)                | (19 - A) | (20 - D)  |
|       | (21 – C) | (22 - B) | (23 - B) | (24 – C) | (25 - B) | (26 – D) | (27 - C) | (28 – C)                | (29 - B) | (30 - B)  |
|       | (31 – D) | (32 – B) | (33 - A) | (34 – C) | (35 – D) | (36 - B) | (37 – D) | (38 – A)                | (39 – D) | (40 - C)  |
| . •   | (41 - C) | (42 - B) | (43 - A) | (44 - A) | (45 – C) | (46 - A) | (47 – D) | (48 – B)                | (49 - A) | (50 - A)  |
|       | (51 - B) | (52 – D) | (53 - B) | (54 – C) | (55 – B) | (56 – C) | (57 - B) | (58 – C)                | (59 - A) | (60 - D)  |
|       | (61 – B) | (62 – D) | (63 – D) | (64 – C) | (65 – D) | (66 – C) | (67 - A) | (68 – B)                | (69 – C) | (70 – A)  |
|       | (71 – D) | (72 - B) | (73 – D) | (74 – A) | (75 – C) | (76 – C) | (77 – C) | (78 – D)                | (79 – C) | (80 - C)  |
|       | (81 – C) | (82 – C) | (83 - A) | (84 - A) | (85 – D) | (86 - B) | (87 - C) | (88 – D)                | (89 - A) | (90 – D)  |
|       | (91 – C) | (92 – B) | (93 – B) | (94 – D) | (95 – A) | (96 – B) | (97 – B) | (98 – B)                | (99 – A) | (100 - C) |