С

Seat No.: G 7 9 0 9 3 2

Sl. No.: 501114

331(E) (March, 2019)



Time: 2 Hours

[Maximum Marks: 100

Instructions:

The OMR sheet is given for answering the questions. The answer of each question is represented by \bigcirc , for example, (A) \bigcirc , (B) \bigcirc , (C) \bigcirc , (D) \bigcirc . Darken the circle of the correct answer with ball-pen ink. There are total 100 questions in this question paper. Each question carries 1 mark. All questions are compulsory.

1)	Which of the following is ar	n example of binary file extension?
- ,	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

(A) .txt

(B) .java

(C) .jpeg

- (D) .c
- 2) In class diagram, a class is represented with an icon using a rectangle is splitted into how many sections?
 - (A) 2

 (\mathbf{B}) 3

(C) 4

- (D) 6
- 3) Which of the following service customer can not avail with the help of online banking?
 - (A) check account balance
 - (B) final status of transactions
 - (C) cash withdraw or deposit
 - (D) transfer the money from one account to other
- 4) In Java, Calendar class is provided into which package?
 - (A) java.Date

(B) java.calendar

(C) java.year

(D) java.util

5)	In Java, what is the default value of Boolean data type?							
	(A)	true	(<u>B</u>)	false				
	(C)	.1	(D)	0				
6)	Whi	ch of the following stand	s for l	DE?				
	(A)	Internet Development En	viron	ment				
	(B)	International Development Environment						
	(C)	Indian Development Environment						
	(D)	Integrated Development	Envir	onment				
7)	In 'I	R' software, which comm	and is	s used for viewing some				
ŕ	dem	onstrations?						
	(A)	disp()	(<u>B</u>)	demo()				
	(C)	view()	(D)	helpview()				
8)	Wh	ich of the following is not	a syı	nbol of trademark?				
	(A)	TM	(B)	SM .				
	(<u>C</u>)	C	(D)	\mathbb{R}				
9)	Wh	en will the page title be	disp	layed when webpage is				
	viev	wed in the browser?						
	(A)	on status bar	(B)	on menu bar				
	(<u>C</u>)	on titlebar	(D)	on main window				
10)	Wh	ich of the following pa	ymen	t card has a microchip				
	eml	pedded on its surface?						
	(A)	Smart card	(B)	Debit card				
	(C)	Credit card	(D)	Charge card				
11)	Wh	ich of the following inform	ation	should a website contain?				
,	(A)	A 1 B 1		Complete, Irrelevant				
	· (C)	•	(D)					
	. ,							

12)	In Java, which of the following is used to repeat a sequence					
	of st	atements over and over	r until so	ome condition occurs?		
•	(<u>A</u>)	Loops	(B)	Branches		
	(C)	Breaks	(D)	Sets		
13)	Whi	ch of the following is n	ot true	for Java Constructor?		
	(A)	Constructor must have	e the sar	ne name as class name		
	(B)	Default constructor do	oes not t	ake any argument		
	$(C)_{i}$	Constructor does not	have ret	urn type		
	$(\underline{\underline{\mathbf{D}}})$	Constructor can be in	voked	explicitly else where in		
		the program				
14)	Whi	ich of the following syn	mbol sig	gnifies the start and end		
	of a	JavaScript block?				
.:	(A)	semicolon	(B)	square bracket		
	(<u>C</u>)	curly bracket	(D)	round bracket		
15)	Whi	ich of the following refe	ers to an	error condition in object		
	orie	nted programming term	inology	?		
	(A)	anomaly	(B)	abbreviation		
	(<u>C</u>)	exception	(D)	deviation		
16)	In Ja	avaScript, isNan(123) r	eturns w	hich value?		
	(<u>A</u>)	false	(B)	true		
	(C)	10	(D)	-1		
17)	In J	lava, what type of valu	ue is ret	urned when we use get		
	met	method of calender class with constant DAY_OF_YEAR				
	as a	n argument?	· .			
	(A)	int	(B)	char		
	(C)		(D)	boolean		
				4		

18)	In LaTeX, which of the following document class is used					
	for w	riting individual articles?	,	•		
	(A)	book	(B)	slides		
	(C)	letter	(D)	article		
19)	În Ja	ava, what keeps the data	safe f	rom unintended actions		
	and	inadvertent access by out	tside	objects?		
-	(A)	Data-abstruction	(B)	Polymorphism		
	(<u>C</u>)	Encapsulation	(D)	Aggregation		
20)	In Ja	ava, which of the follow	ving	block handles or takes		
	appr	opriate action when an ex	xcept	ion occurs?		
	(A)	try	(<u>B</u>)	catch		
	(C)	throws	(D)	handles		
21)	In Ja	ava, read () method of fil	le Re	ader class returns which		
	value to indicate the end of stream?					
	(A)	0	(<u>B</u>)	-1 :		
	(C)	1	(D)	e		
22)	Whi	ch of the following is n	ot an	important point of the		
	plan	ning process of good we	bsite'	?		
	(A)	Purpose	(B)	Audience		
•	(C)	Content	(<u>D</u>)	ISP		
23)	Whi	ich security system is	used	by major credit card		
	companies to make online transactions secured?					
	(<u>A</u>)	Secure Electronic Trans	fer			
	(B)	Portable Electronic Tran	ısfer			
	(C)	General Electronic Trans	sfer			
	(D)	Cash Electronic Transfe	er			

24)	In HTML, which of the	e following attribute of form is used	
	to specify where to se	end the form data when the form is	
,	submitted?		
,	(A) action	(B) input	
ak	(C) value	(D) submit	
25)	Java supports how man	ny primitive data types?	
	(A) 2	(B) 4	
	(C) 6	(D) 8	
26)	In UML, which of the f	following is used as visibility symbol?	
	(A) *	(<u>B)</u> #	
	(C) <	(D) >	
27)	Polymorphism is acloverloading?	hieved using how many types of	
	(<u>A</u>) 2	(B) 3	
	(C) 4	(D) 6	
28)		lling of Java, which block is always	
	executed before the pr		
	(A) try	(B) catch	
	(C) finally	(D) throw	
29)	Which of the following	ng elements are not included in try	
•	block?		
	(A) the keyword try		
	(B) the keyword cate	ch	
	(C) the curly bracket		
	(D) statements that m	night cause exceptions	
30)	Who developed Java l	anguage?	
	(A) Microsoft	(B) Adobe	
	(C) Google	(D) Sun Microsystems	
331(E) / E		Page 5 P.	T.C

331(E) / E	* .	Page 6	
	(C) abort	(D)	unload
*	(A) blur	(B)	load
	image is cancelled?	•	
37)	In JavaScript, which	event would	occur when loading of
	(C) Gpay	(D)	E-wallet
	(A) Paytm	(B)	RuPay
	by National Payments		
36)	Which of the following	g card paymer	nt mechanism is launched
	(C) procedure	(D)	switch
	(A) function	(B)	array
,	collection of homoger		· .
35)	In Java, which of th	e following	is used to represent a
	(D) int marks $[] = \{1$	·	
•	(C) int marks $[3] = \{$:	7	
	(B) int [] marks = no		
	(A) int marks $[]$ = ne	•	
34)	array named marks in.		t statement to declare an
2.4\			
	(C) equation		text
	mathematical content i (A) displaymath		e text? math
(33)		•	vironments displays
	(C) –	(D)	
	(<u>A</u>) %	(B)	+
32)	Which of the following		d character of LaTeX?
	(C) select	(D)	send
	(A) return	(B)	function
	a function of JavaScrip	ot?	
31)	Which of the following	statement is	used to return a value in

<i>9</i> 38)	What is the machine language for the Java Virtual machine									
	known as?									
	(A) Java source code	(B)	Java application code							
	(C) Java program code	(D)	Java byte code							
39)	In VLC media player, which	n menu	option is used to convert							
	multimedia files from one format to another?									
	(A) File \rightarrow convert									
	(B) Media → convert/save									
٠.	(C) View \rightarrow convert/save									
	(D) Edit \rightarrow convert									
40)	In Java, which keyword is	used to	declare class variable?							
	(A) Static	(B)	Private							
	(C) Public	(D)	Package							
41)	In Java, how many levels of	visibili	ty modifiers are available							
	for access control?	v *								
	(A) 2	(B)	3							
	(C) 4	(D)	6							
42)	In Java, which of the follo	wing c	lass returns the name of							
	files and directories in a dir	_	•							
	(A) String[]list()									
	(B) boolean isFile()									
	(C) String getName()									
	(D) String getPath()									
43)	In Java, which exception	class i	s used when there is an							
	attempt to divide any num	ber by ()?							
	(A) ArrayIndexOutOfBou	undsEx	ception							
	(B) ArithmeticException									
	(C) NumberFormatExcep	tion								
	(D) NullPointerException									
•										

4.4	
44) In LaTeX, optional arguments are written into which
	brackets?
	(A) [] (B) {}
	(C) () (D) <>
45) In Java, which of the following level of protection is used to allow the access only to subclass or to share with the
	methods declared as "friend"?
	(A) Public (B) Package
	(C) Protected (D) Private
46	In KompoZer, which option of 'Table' tab of 'Table
	properties' dialog box is used to align the table as left, right
	or centre?
	(A) Size (B) Border and Spacing
	(C) Table Alignment (D) Caption
. 47) In Java, initial value of array elements are specified into which
	brackets?
	(A) () (B) {}
	(C) [] (D) <>
48	3) In Java, which of the following class provides a method for
	reading password?
	(A) Console
	(B) FileOutputStream
	(C) FileInputStream
	(D) Scanner
40	9) In Java, if 'str' is the object of string class and its content is
٠,	
	@Thank GOD@, then what is the value of str.length()?
	(A) 9 (B) 10
	(C) 8 (D) 11

331(E) /	E P	Page 9	P.T.O.
	(C) print()	(D) fill()	
	(A) sort ()	(B) put ()	,
	whole or partial array with	specified value?	
5	66) Which method of java.uti	l. Arrays class is used to fill the	
	(C) ~	(D) *	
•	(A) -	(B) +	
5	55) In UML, which symbol is a	used for private visibility?	
	(C) < 0	(D) -1	
	(A) 0	(B) > 0	
	value if invoking string is	equal to str?	
(5	4) In Java, int compare to (s	tring str) method returns which	
	(D) None		
	(C) a – part – of relations	hip	-
	(B) has – a relationship		
	(A) is – a relationship		
. 5	3) In inheritance two classes h	have which type of relationship?	
· :	(C) olx.com	(D) quikr.com	
	(A) ebay.com	(B) rediff.com	
		-commerce business model?	
5	2) Which of the following v	websites is not an example of	•
	(C) Copyright	(D) Non-repudiation	. "
	(A) Confidentiality	(B) Integrity	
3	commerce / M-commerce s	7	
5 1		not an important aspect of E-	
	(A) Tools → Buildcode		
•	source program? (A) Tools → Go	(B) Tools \rightarrow compile	
3(iu option is used to compile java	

٠.	5 7)	In KompoZer, cascade button is available on which Toolbar?						
•		(A)	Edit mode Toolbar	(B)	Composition Toolbar			
		(C) ·	Format Toolbar1	(D)	Format Toolbar2			
	58)	In Ja	ava, which of the followin	g is th	ne keyword used to refer			
		a superclass constructor in subclass constructor?						
		(A)	extends	(B)	super			
		(C)	name of the superclass	(D)	new			
	59)	Whi	ch of the following is ar	attri	bute of HTML <form></form>			
		elen	nent?					
		(A)	method	(B)	type			
	·	(C)	value	(D)	initial selection			
	60)	Wh	ich of the following stand	s for	UML?			
		(A)	United Main LAN					
	٠,.	(B)	United Model Language					
		(C)	Unified Modelling Langu	iage				
		(D) Union Model Language						
	61)	Wh	ich of the following is use	ed to	define common features			
,		ofs	imilar objects?					
		` ` `	class	(B)	object			
		(C)	methods	(D)	variable			
	62)	Wh	ich program is used to e	nter	Unicode characters into			
	٠	any	application?					
		(A)	character Map	(B)	character Insert			
		(C)	character Input	(D)	character File			
	63)	In I	LaTeX, which command is	susec	I to insert a break in line?			
٠.		(A)	#	(B)	?			
٠.		(Ċ)	· \\ · · ·	(D)	\$			

04)	which of the following is not used for comment in Java?
	(A) //
	(B) /**/
	(Ç) //**//
	(D) /***/
(65)	What should be the extension of Java source program file?
	(A) class (B) jar
	(C) .htm (D) .java
66)	Which method of Date class of Java returns a string
	representing date and time of invoking object?
	(A) long getTime()
	(B) Date (long elapsedTime)
	(C) Void Time (long elapsedTime)
	(D) StringtoString()
67)	Which of the following is not a large online bookstore
	website?
٠.	(A) www.mybookbuy.com
	(B) www.amazon.com
	(C) www.buybooksindia.com
	(D) www.bookshopofindia.com
(68)	In KompoZer, which menu-option is used to change
	webpage title?
	(A) Insert→Page title
	(B) Edit→Page title and properties
	(C) Format \rightarrow Page title and properties
1. 1	(D) File \rightarrow Page title
. :.	

69) Whi	ich of the fo	llowing is not	an ac	lvantage of CSS?
	(A)	CSS make	s web designe	r's jo	b easier.
	(B)	CSS make	s webpages lo	adin	g faster as compared to
		HTML.			•
•	(C)	CSS make	s website desig	gning	quick and efficient.
	(D)	CSS comp	atibility varies	with	different browsers.
70) In t	he 'CSS sty	lesheets' dialo	g box	of KompoZer, which
	tab	is used to cl	hange the colo	ur of	a font?
	(A)	General		(B)	Text
	(C)	Backgroun	nd ·	(D)	Lists
71) In J	ava, which	keyword is use	d to	define a class?
	(A)	class		(B)	Class
	(C)	CLASS		(D)	Super
72) In k	KompoZer,	which short cu	t key	is used to close the site
	mar	nager pane?	,		
•	. (A)	F5		(B)	F7
	(C)	F9		(D)	F2
73) Wh	ich of the fo	ollowing is a co	ompa	rison operator of Java?
	(A)	+ .		(B)	%
	(C)	<		(D)	*
74) In J	ava, which	of the follwing	are v	ariables defined within a
	clas	ss but outsic	le any method	?	•
. •	(A)	local varia	bles	(B)	instance variables
	(C)	class varia	ables	(D)	main variable
75	s) In .	Java, which	of the follow	ving	methods of string class
	retu	ırns a string	after appendin	g str	with the invoking string?
	(A)	char index	(At (int index)		
	(B)	byte[]ge	etBytes()		
	(C)	String cor	ncat (String str)) .	
	(D)	String app	end (String str	·)	
31(E) / E			Page	12	

76)	Agg	Aggregation represents which type of relationship between						
	two	classes?						
i i	(Ą)	non-exclusive	(B)	exclusive				
	(C)	same	(D)	None of the above				
77)	Whi	Which of the following E-commerce business model is also						
	a part of E-governance?							
	(A) Business to Business (B2B)							
	(B)	B) Consumer to Business (C2B)						
	(C)·	(C) Consumer to Consumer (C2C)						
	(D) Government to Citizen (G2C)							
78)	Commodity.com and tradeindia.com websites are an							
	example of which E-commerce business model?							
	(A) Business to Consumer (B2C)							
	(B) Business to Business (B2B)							
	(C)	Consumer to Consumer	(C20	C)				
, .	(D)	Consumer to Business (Consumer to Business)	C2B)					
ر79)	In J	ava, which statement is	usec	l to skip the following				
•	state	ements in a loop and conti	nue v	vith the next iteration?				
	(A)	break	(B)	continue				
	(C)	go	(D)	run				
80)	In J	ava. which of the following	ing l	ooks for unused objects				
	In Java, which of the following looks for unused objects and reclaims the memory that those objects are using?							
	(A)	Variable collector		3				
	(B)	Object collector						
	(C)	Class collector						
	(D)	Garbage collector						
81)	Who	o developed SSL protoco	1?					
	(A)	Google	(B)	Netscape				
	(C)	Yahoo	(D)	Firefox				

82)	Which of the following is not a part of CSS syntax?							
	(A) Selector	(B)	Property					
	(C) Value	(D)	Event					
83)	In Java, which method of Scanner class returns true of there							
	is a token in input?							
. ·	(A) String next()	(B)	boolean hasNext()					
	(C) int nextInt()	(D)	String nextLine()					
84)	Which of the following are different variants of Rational							
	Plan?							
٠.	(A) Single, Multi, Viewer	(B)	Singular, Multiple					
	(C) View, Preview	(D)	Server, client					
.85)	Who developed Amaya free	open	source WYSIWYG web					
,	editor?							
; ·	(A) www	(B)	Netscape					
	(C) Microsoft	(D)	W3C					
86)	In HTML, which of the follo	wing i	s used to collect different					
	kinds of inputs from the user?							
	(A) Frame	(B)	Label					
	(C) Form	(D)	CSS					
87)	Which of the following on	en sou	rce WYSIWYG HTML					
	Which of the following open source WYSIWYG HTML editor supports languages like English, Dutch, German etc.:							
	(A) Aptana Studio		KompoZer					
	(C) BlueGriffon	(D)	Amaya					
88)		featur	e of E-commerce?					
	(A) Operates within a certain							
	business hours	P						
	(B) No sharing of information with competitors							
• • • • •	(C) Location renting or purchasing							
	(D) Advertising of the pro							
	(a) ran all properties of mrs bro							

89)	In HTML, which of the following element allows multi-line					
-	text input?					
	(A) <textdata> (B)</textdata>	<pre><input/></pre>				
<i>*</i> ·	(C) <selection> (D</selection>) <textarea></th></tr><tr><th>90)</th><th>In Java, which keyword is use</th><th>d to explicitly throw an</th></tr><tr><th></th><th>exception object?</th><th></th></tr><tr><th></th><th>(A) try (B</th><th>) catch</th></tr><tr><th></th><th>(C) finally (D)</th><th>) throw</th></tr><tr><th>91)</th><th colspan=6>In LaTeX, which of the following operation is used for</th></tr><tr><th></th><th>superscript?</th><th></th></tr><tr><th></th><th>(A) – (B</th><th>) < ;</th></tr><tr><th>•</th><th>(C) > (D)</th><th></th></tr><tr><th>92)</th><th>In Java, which keyword is used</th><th>to create the object by</th></tr><tr><th>- - /,</th><th>allocating memory?</th><th></th></tr><tr><th></th><th>(A) super (B</th><th>) new</th></tr><tr><th></th><th>(C) class (D</th><th>) var</th></tr><tr><th>93)</th><th>Which of the following protocol</th><th>is used to transfer the web</th></tr><tr><th></th><th>pages from user computer to the</th><th>web host?</th></tr><tr><th></th><th>(A) FTP (B</th><th>) SMTP</th></tr><tr><th></th><th>(C) HTP (D</th><th>) HTPT</th></tr><tr><th>94)</th><th colspan=6>Which of the following allows specifying styles for the visual</th></tr><tr><th></th><th colspan=6>elements of the website?</th></tr><tr><th></th><th>(A) Form (E</th><th>3) Animation</th></tr><tr><th></th><th>(C) Web host (L)</th><th>)) Cascading style sheets</th></tr><tr><th>95)</th><th>) In browser object model, elemen</th><th>nts of webpage like forms.</th></tr><tr><th>-,</th><th></th><th colspan=5>images, links etc. are contained within which object?</th></tr><tr><th></th><th>(A) history (E</th><th></th></tr><tr><th></th><th>(C) location (I</th><th></th></tr><tr><th></th><th>, ,</th><th></th></tr></tbody></table></textarea>				

96)	In KompoZer, which menu-option is used to publish a website?					
	(A)	File→publish	(B)	Insert → Page → publish		
		Format → publish	(D)	View→publish		
97)	Which of the following is a limitation of E-commerce?					
	(À)	Lower cost	(B)	Team work		
	(C)	Security	(D)	Speed		
98)	8) Which of the following toolbar is not available in Komp					
	(A)	Preview Toolbar	(B)	Format Toolbar 1		
	(C)	Format Toolbar 2	(D_i)	Composition Toolbar		
99)	Which of the following is a free software environment for					
	stati	stical computing?	7			
	(A)	Mathematica	(B)	Matlab		
	(C)	'R' software	(D)	MS Excel		
100)The	data hierarchy occurs in	whic	h of the following order		
	fron	n the smallest to largest p	iece (of data?		
	(A)	file: character: field: record				
	(B)	file: character: record:	field			
:	$_{i}(C)$	C) character: field: file: record				
	(D)	character: field: record: file				
	•					