## Computer (331) (E)

TIME : 2:30 HRS

**BOARD'S PAPER MARCH: 2015** 

| TIME: 2:30 HRS.                         | ,   |
|---|---|
| What will be output of following progra | m ?   |
| class abc                               |   |
| {                                       |   |
| public static void main (string [ ] S)  |   |
| <b>{</b>                                |   |
| for (int $i=0$ ; $i<10$ ; $i++$ )       |   |
| <b>{</b>                                |   |
| SYSTEM.out.println(i);                  |   |
| }                                       |   |
| . }                                     |   |
| <b>}</b>                                |   |
| (A) error (B) i                         |   |
| (C) Display 1 to 10 (D) 1, 2, 3, 10     | )   |
| 2                                       | which   |
|   |   |
|   |   |
|   |   |
| , ,                                     |   |
|   |   |
|   | store   |
| •                                       |   |
|   |   |
|   | uages.  |
| ,                                       | _   |
| (A) Object instantiation                |   |
| (B) Oriented installation               |   |
| (C) Installation                        |   |
| (D) Project installation                |   |
|   | ates in   |
|   |   |
|   |   |
|   |   |
| •                                       | sed to  |
|   |   |
| , |   |
|   | -4- 4 <b>l</b> -a   |
|   | ate the   |
|   |   |
| •                                       |   |
| (b) isotamon                            | 4   |
|   | what will be output of following prograclass abc  {     public static void main (string [] S)     {         for (int i=0; i<10; i++)         {             SYSTEM.out.println(i);         }     } }  (A) error (B) i (C) Display 1 to 10 (D) 1, 2, 3, 10  Java class is generally made up of components?  (A) Behaviour, variable (B) Attributes, behaviour (C) Name, attributes (D) Name, variable A variable declared using class type car what to an object?  (A) Relation (B) Root (C) Rate (D) Reference In object oriented programming lang creating an object is also called as what (A) Object instantiation (B) Oriented installation (C) Installation |

```
MARCH: 2015
                          TOTAL MARKS: 100]
     In LaTeX, square root of a number x is denoted
8)
     by following command?
     (A) \ sqrt [ x ]
                            (B) \ sqrt { x }
     (C) \setminus sqrt < x >
                            (D) \setminus sqrt (x)
     What is an indication of a problem that occurs
9)
     during a program's execution, it usually signals
     an error?
     (A) Exact
                            (B) Extraction
                            (D) Expectation
     (C) Exception
     Which type of file you are not able to create
10)
     when there is a syntax error in the program
      and we get a compilation error?
      (A) . txt
                            (B) . Html
      (C) . Java
                            (D) . class
     Which of the following is example of common
11)
      syntax error ?
      (A) Only missing semicolon.
      (B) Both missing semicolon and use of
         undeclared variable.
      (C) Missing semicolon.
      (D) Use of undeclared variable.
     A compiler is used to convert source code into
12)
      what ?
      (A) Object code
                            (B) ASCII code
      (C) Scite code
                            (D) Text code
     Which file class method is used to return the
      number of bytes in that file?
      (A) long byte ()
                            (B) long file ()
      (C) long number ()
                            (D) long length ()
      Which class is the base for writing a character
14)
      stream?
      (A) Impress
                            (B) Writer
      (C) Calc
                            (D) Draw
      What occurs when there is a failed I/O
15)
      operation in writer class?
      (A) IO Base
                             (B) IO throw
                             (D) IO Exception
      (C) IO Class
      Which abstract class defines the functionality
```

that is available for all character input stream?

(B) Void class


(D) Writer class

(A) Text class

(C) Reader class

| 17)       | Which File Input Stream method is used to read a byte of data from this input stream?         | 26) | From following LaTeX command which of the part is optional argument?                |  |  |
|-----------|---|-----|---|--|--|
|           | (A) void read () (B) read void ()   |     | \ document [ 14pt ] { article }   |  |  |
|           | (C) void close () (D) int read ()   |     | (A) document [ 14pt ] (B) 14pt  |  |  |
| 10)       |   |     | (C) document (D) article  |  |  |
| 18)       | Java uses which keyword to write an exception handler?  | 27) | In LaTeX, to insert a break in lines user uses                                      |  |  |
|           | (A) catch, finally, block   | 21) | which command at the end of each line?  |  |  |
|           |   |     | (A) \$@ (B) ##  |  |  |
|           | (B) try, catch, except  |     | (C) \$# (D) \\  |  |  |
|           | (C) try, except, catch  | 28) | Which command in LaTeX is used to define the  |  |  |
| 10)       | (D) try, catch, finally   |     | document's title ?  |  |  |
| 19)       | Which block contains the code that is intended to handle exceptions of a particular type that |     | (A) \ title doc (B) \ title   |  |  |
| t         | were created in the associated try block?   |     | (C) \ doc title (D) \ LaTeX title   |  |  |
|           | (A) Catch (B) Handle  | 29) | TeX and LaTeX use which file extension?   |  |  |
|           | (C) Try (D) Blk   |     | (A) . avi (B) mp3 (C) . tex (D) jpeg  |  |  |
| 20)       | Which of the following is syntax to throw an  | 30) | Which command in LaTeX produces the   |  |  |
| <b></b> . | exception object?   |     | popular PDF format files ?  |  |  |
|           | (A) throws exception_object;  | l . | (A) pdf latex (B) pdf conv  |  |  |
|           | (B) throw exception_object;   | `   | (C) pdf pop (D) pdf tex   |  |  |
|           | (C) Exceptionthrow object;  | 31) | Data stored in files is often called as what?                                       |  |  |
|           | (D) throwexception object_throw;  |     | (A) Persistent data (B) Personal data   |  |  |
| 21)       | Which type of storage values store in variables   |     | (C) Provision data (D) Public data  |  |  |
| ,         | are lost when computer is shutdown?   | 32) | Which of the following is an example of binary                                      |  |  |
|           | (A) Volate storage - (B) Non-volate storage   |     | file?   |  |  |
|           | (C) Volatile storage (D) Non-volatile storage   | 201 | (A) C (B) mp3 (C) txt (D) Java  |  |  |
| 22)       | Which class provides a method for reading   | 33) | Which class encapsulates information about the properties of a file or a directory? |  |  |
|           | password?   |     | (A) Java.out.file (B) Java.in.file  |  |  |
|           | (A) Writer class (B) Scanner Input class  |     | (C) Java.file.io (D) Java.io.File   |  |  |
|           | (C) Reader class (D) Console class  | 34) | Which file class method is used to return true,                                     |  |  |
| 23)       | Which scanner class method is used to scan  |     | if the file or directory is hidden?   |  |  |
|           | the next token of the input as Int?   |     | (A) boolean is Hidden ( )   |  |  |
|           | (A) int next Int ( ) (B) int has Next ( )   |     | (B) boolean exists ( )  |  |  |
|           | (C) Void int () (D) int next ()   |     | (C) boolean is File ( )   |  |  |
| 24)       | Which file class method is used to return the   |     | (D) boolean is Directory ()   |  |  |
|           | path to the file or directory?  | 35) | Java language is developed by which company?  |  |  |
|           | (A) String get Name ()  |     | (A) Sun Micro System  |  |  |
|           | (B) String get File ()  |     | (B) Sun Java System   |  |  |
|           | (C) String get Directory ( )  |     | (C) Sun System  |  |  |
|           | (D) String get Path ()  |     | (D) Sun Pharma Co-operation   |  |  |
| 25)       | LaTeX command starts with which character   | 36) | The machine language for the Java Virtual   |  |  |
|           | followed by the command name?   | ľ   | Machine is called what ?  |  |  |
|           | (A) \ (back slash) (B) *  |     | (A) Code byte (B) Type code   |  |  |
|           | (C) ? (D) / (front slash)   |     | (C) Java byte code (D) Java code  |  |  |

- 37) While creating Java what must be the same?
  - (A) folder name, file name
  - (B) extension name, file name
  - (C) class name, folder name
  - (D) class name, file name
- 38) When the program gets compiled without error, compiler creates a file with which extension?
  - (A) . comp
- (B) . txt
- (C) . java
- (D) . class
- 39) The process of compiling and executing a Java application is as follows. What is missing from given chart?



- (A) Java class (\*exe)
- (B) Java textcode (\*.txt)
- (C) Java Bytecode file (\*.class)
- (D) Java typecode (\*.obj)
- 40) Which code indicates whether the command or a program executed successfully or not?
  - (A) run code: 0
- (B) Scite code: 0
- (C) Source code: 0
- (D) Exit code: 0
- 41) Which package contains a hierarchy of classes dealing with various exceptions?
  - (A) java.obi and java.cls
  - (B) Java.lang and java.io
  - (C) Java.lang and Java.obi
  - (D) Exit.obi and Java.class
- 42) When there is an attempt to divide any number by 0 (zero) which exception is occured while executing the program?
  - (A) Zero Exception
  - (B) Number Exception
  - (C) Divide Exception
  - (D) Arithmetic Exception

- 43) When there is an attempt to convert string to a number type which exception is occured while executing the program?
  - (A) Number Format Exception
  - (B) Format Exception
  - (C) Convert Exception
  - (D) String Exception
- 44) What is the full form of CTAN?
  - (A) Compare TeX Archive Notes
  - (B) Comprehensive Tex Archive Network
  - (C) Comprehensive TeX Add Network
  - (D) Code TeX Article Network
- 45) In LaTeX, to print not equal to sign, which mathematical symbol is used?
  - (A) \ neq
- (B) \ nteq
- (C) \ noteqto
- (D) \ noteq
- 46) In LaTeX, which command is used to emphasis effect to text?
  - (A) \ eph
- (B) \ emph
- (C) \ empha
- (D) \ emh
- 47) In LaTeX, which command is used to set paper size and margins?
  - (A) \ use pageout
- (B) \ use paper
- (C) \ use package
- (D) \ use page
- 48) In LaTeX, who has created the packages ams math, ams symb and ams fonts?
  - (A) American Mathematical Society
  - (B) Advance Mathematical Source
  - (C) ASCII Mathematical Society
  - (D) Armstrong Mathematical Source
- 49) Whenever two classes have a 'is a' relationship, what is used?
  - (A) Instant
- (B) Relations
- (C) Inheritance
- (D) Invalue
- 50) Which class inherits all instance variables and methods from super class and it may have its own added variables and methods?
  - (A) Out class
- (B) Super class
- (C) In class
- (D) Sub class
- 51) Which keyword is used to call the constructor of super class in the constructor of sub class?
  - (A) super (B) void
- (C) sub
- (D) class
- 52) A sub class can be derived from which class?
  - (A) over class
- (B) super class
- (C) main class
- (D) own class

| 53)           | Java supports two types of strings that are handled by two classes. Which are they? | 61)         | Which of the follow return a string conver | ing method is used to ted to ted to lower case? |
|---------------|---|-------------|--|---|
|               | (A) String, Buffer String   |             | (A) String to Lower Ca                     | 1 - 11  |
|               | (B) String, String Buffer   |             | (B) String To LOWER                        |   |
|               | (C) String, String Literals   |             | (C) String ()                              | •   |
|               | (D) String, Buffer  |             | (D) String Lower ()                        |   |
| <b>54</b> )   | Which constructor can be used without   | <b>62</b> ) |  | ing method is used to                           |
| <b>J L</b> )  | arguments to create a string object with no   | ,           |  | appending str with the                          |
|               | character ?   |             | invoking string?                           |   |
| •             | (A) String ( ) (B) String { }   |             | (A) String Append ( )                      | 1   |
|               | (C) String (0, 1) (D) String []   |             | (B) String concat (string                  | ng str)   |
| <b>55</b> )   | Which of the following tasks are provided by  |             | (C) String ConAppend                       | ( )   |
|               | string class ?  |             | (D) String Append (str                     | ing)  |
|               | (A) Appending string  | <b>63</b> ) | Which class encapsul                       | ate both date and time                          |
|               | (B) All the given three options   |             | <b>-</b> .                                 | llue using milli-seconds                        |
| j             | (C) Extracting part of string   |             | precision ?                                |   |
|               | (D) Splitting string into sub string  |             | (A) Preci class                            | (B) Sec class                                   |
| <b>56</b> )   | Which of the following method returns   |             | (C) Data class                             | (D) Time class                                  |
|               | number of characters in invoking string?  | 64)         |  | ing method is used to                           |
|               | (A) int count () (B) int lencount ()  |             | time?                                      | t using current system                          |
|               | (C) int length () (D) int len ()  |             | (A) Class Date 1                           | (B) Class Date ()                               |
| <b>57</b> )   | Instance variables and instance methods are   |             | (C) date ( )                               | (D) Date ()                                     |
|               | accessed via objects. They can be referred by                                       | <b>65</b> ) | Which of the following                     | ng is right way to define                       |
|               | using which operator ?  |             | variable ?                                 |   |
|               | (A) // (B) (.) dot<br>(C) \$ (D) #  |             | (A) \$age                                  | (B) discount rate                               |
| E0) ·         |   |             | (C) 4youpeople                             | (D) %discount                                   |
| <b>58</b> ) · | class but outside any method?   | 66)         | String literals is a                       | sequence of characters                          |
|               | (A) Class variable (B) Empty variable   |             | enclosed in which qu                       | otes ?  |
|               | (C) Local variable (D) Instance variable  |             | (A) triple                                 | (B) double                                      |
| <b>59</b> )   | In Java, we can have different methods that   |             | (C) single & double                        | (D) single                                      |
|               | have the same name but a different signature  | 67)         |  | ymbols are used in the                          |
|               | is also called as what ?  |             | conditional operator                       |   |
|               | (A) Method overloading  |             | (A); and *                                 | (B) # and ?                                     |
|               | (B) Variable overloading  |             | (C) ? and :                                | (D) / and ?                                     |
|               | (C) Same overloading  | 68)         |  | d version of assignment,                        |
|               | (D) Poly overloading  |             | is 8, then what will $b$                   | a = b, where $a$ is 7 and $b$                   |
| <b>60</b> )   | To provide an user-defined no-argument  |             | (A) 8                                      | (B) 49  |
|               | constructor, which of the following command   |             | (C) 14                                     | (D) 15  |
|               | is used?  | 69)         |  | rs are having different                         |
|               | (A) School (float i, float j);  | 00,         | _  | operator with higher                            |
|               | (B) School ( int i );   |             | precedence is operat                       |   |
|               | (C) School () {};   |             | (A) first                                  | (B) last  |
|               | (D) School { } ( ) ;  |             | (C) second                                 | (D) in middle                                   |
|               |   |             |  |   |

| <b>70</b> ) | and the second s | d using comma separated                            | 80) | What is useful to represent vector, matrix and other multi-dimensional data? |                                   |  |
|-------------|--|--|-----|--|-----------------------------------|--|
|             | 4.4  | its using which brackets?                          |     |  |                                   |  |
|             | (A) ( )  | (B) <>   |     | (A) string   | (B) arrays                        |  |
|             | (C) []   | (D) { }  |     | (C) char   | (D) integer                       |  |
| <b>7</b> 1) |  | ethods can be used in Java                         | 81) | •  | it mark $[] = \{70, 90, 20\}$ is  |  |
| 25 1 -      | by class.  |  |     |  | ll be value of marks [2]?         |  |
|             | (A) java.util.Arrays   | (B) util.java.arrays                               |     | (A) 20   | (B) error                         |  |
|             | (C) java.Array.util  | . ,  |     | (C) 70   | (D) 90                            |  |
| <b>72</b> ) | **   | are used to store tabular                          | 82) | •  | arts its index value with         |  |
|             | data in the form of  |  |     | what ?   | (D) 0                             |  |
|             | (A) 3-D  | (B) 4-D  |     | (A) null   | (B) 2                             |  |
|             | (C) 1-D  | (D) 2-D  |     | (C) 1  | (D) 0                             |  |
| 73)         |  | 15 integer values through f the following is used? | 83) | who extablished a between class?   | "has - a" relationship            |  |
| 2:          | (A) int $m3 = new int$   | [5][3];  | 1   | (A) Composition and  | Aggregation                       |  |
|             | (B) int $m2 = new [5]$   | ] [ 3 ];   |     | (B) Methods and Obje   | ect                               |  |
|             | (C) int $m1 = new [1]$   | 5 ] [ 15 ];  |     | (C) Relations and Met  | hod                               |  |
|             | (D) int $m4 = m4$ int  | [2][3];  |     | (D) Inheritance and A  | ggregation                        |  |
| 74)         | If 'str' is the object   | t of string class and its                          | 84) | Java have a that   | looks for unused objects          |  |
|             | ,  | FLAG", then what is the                            |     | · ·  | mory that those objects           |  |
|             | value of str.length (  | ) ?  |     | are using.   |                                   |  |
|             | (A) 11   | (B) 8  |     | (A) reclaim collector  | (B) unused collector              |  |
| •           | (C) 10   | (D) 9  |     | ·  | (D) garbage collector             |  |
| <b>75</b> ) | Which constant is  | used to display year of                            | 85) | The word polymorph   |                                   |  |
|             | calendar ?   |  |     | (A) many forms   | (B) virtual forms                 |  |
|             | (A) CAL  | (B) YEAR CAL                                       |     | (C) one form   | (D) more prizm                    |  |
|             | (C) YEAR   | (D) MONTH  | 86) | Which of the following   | ng is syntax of package?          |  |
| <b>76</b> ) | Which constant is us   | sed to display Hour in 12-                         |     | (A) package {Name};  |                                   |  |
|             | hour notation?   |  |     | (B) package (Name);  |                                   |  |
|             | (A) 12 HOUR  | (B) HOUR 12  |     | (C) package <package< td=""><td>Name&gt;;</td></package<>                    | Name>;                            |  |
|             | (C) Hour_OF_DAY  | (D) HOUR   |     | (D) package [Variable  | name];                            |  |
| 77)         | Which constant is us in the year?  | ed to display Day number                           | 87) | is special kind of when a new object is                                      | f method that is invoked created. |  |
|             | (A) DAY_OF_YEAR  | (B) YEAR_DAY                                       |     | (A) common class   | (B) super class                   |  |
|             | (C) YEAR   | (D) DAY_YEAR                                       |     | (C) composition  | (D) constructors                  |  |
| <b>78</b> ) |  | be broadly classified into                         | 88) | Which are the four P   | 's used in the four levels        |  |
|             |  | nely and Run-time                                  |     | of visibility to provide   | e necessary protection?           |  |
| ٠.          | errors.  |  |     | (A) process, private, p  | protected, public                 |  |
|             | (A) Compile-time err   | or   |     | (B) public, package, p   | rotected, private                 |  |
|             | (B) Compile-syntax e   | rror   |     | (C) public, package, p   | rotected, process                 |  |
|             | (C) Syntax-type error  |  |     | (D) private, package,  | protected, public                 |  |
| * •         | (D) Syntax-time error  |  | 89) | Highest level of prote   | ection can be achieved by         |  |
| <b>79</b> ) |  | present dimensional                                |     | using which protection   | on level ?                        |  |
| •           | datga structure.   |  | Ì   | (A) Private  | (B) Process                       |  |
|             | (A) three (B) four   | (C) one (D) two                                    |     | (C) Public   | (D) Package                       |  |
|             |  | ·  |     |  |                                   |  |

(B) \$

(A) \*

Board Paper: March - 2015

(D) double

| 446          |  |      | Boatu Faper : Match - 2015  |
|--------------|--|------|---|
| 90)          | If we want to allow other methods to read only the data value method can be used.                              | 96)  | In Java, the text written in /**/ is considered as what?  |
| 91)          | (A) setter (B) updater (C) reader (D) getter allows us to build new class with added                           | 97)  | (A) Method (B) Comment (C) Function (D) Variable User can create Java source file by using  |
|              | capabilities by extending existing class?  (A) Inheritage (B) Instant (C) Inheritance (D) Instance             |      | <ul><li>application.</li><li>(A) Only SciTE editor</li><li>(B) Both ASCII text editor and SciTE editor</li></ul>                      |
| 92)          | Control structure branches are used to choose among two or more possible courses of action, is called as what? |      | (C) ASCII text editor (D) SciTE editor  |
|              | (A) More structure (B) Loop structure (C) Additive structure (D) Selective structure                           | 98)  | The definition of the method (function) in Java consists of function header and the sequence of statements enclosed in which bracket? |
| 93)          | Switch statement can be stopped using which statement?  (A) break (B) run (C) loop (D) error                   |      | (A) { } (B) < > (C) ( ) (D) [ ]   |
| 94)          | dowhile loop is which type of loop?  (A) loop - controlled (B) break - controlled                              | 99)  | Java supports how many primitive data types? (A) 3 (B) 8 (C) 4 (D) 7  |
| 9 <b>5</b> ) | (C) exit - controlled (D) entry - controlled To use a labelled loop, which symbol is added                     | 100) | Which of the following datatype is used for real numbers ?  |
|              | hefore the loop?   |      | (A) short (B) char  |

(D)#

(C):

Ans.: (1 - B)(2 - B)(3 - A)(4 - A)(5 - A)(6 - C)(7 - A)(8 - C)(9 - C)(10 - B)(11 - B)(12 - B)(13 - A)(14 - B)(18-C) (19-A)(15 - B)(16 - B)(17 - D)(20 - B)

(21-B) (22-D) (23-D) (24-D) (25-A) (26-B) (27-D) (28-B) (29-C) (30-A)

(C) long

(31-D) (32-D) (33-D) (34-B) (35-A) (36-C) (37-C) (38-B) (39-D) (40-B)

(41-A) (42-A) (43-C) (44-B) (45-B) (46-B) (47-D) (48-C) (49-B) (50-D)

(51-D) (52-B) (53-A) (54-A) (55-B) (56-C) (57-B) (58-A) (59-A) (60-A)

(61-D) (62-B) (63-C) (64-B) (65-D) (66-B) (67-D) (68-D) (69-A) (70-D)

(71 - D) (72 - D)(73 - A)(74 - A)(75 - B)(76 - A)(77 - A)(78 - C) (79 - D)(80 - B)(81 - D)(82 - A)(83 - A)(84 - B)(85 - A)(86 - C)(87 - D)(88 - B) (89 - A)(90 - D)

(91-D) (92-B) (93-C) (94-A) (95-D) (96-B) (97-D) (98-B) (99-B) (100-B)

[TIME: 2:30 HRS.

## **Computer (331) (E)**

**BOARD'S PAPER APRIL: 2015** 

|     | . '     | ٠ .    |         |          |       |        |    |
|-----|---------|--------|---------|----------|-------|--------|----|
| 1): | What is | useful | when sa | me opera | tions | are to | be |
| .,  |         |        |         | elements |       |        |    |

(A) Array

(B) String

(C) If ..... then

type in Java?

(D) While

Which of the following softwares are the 2) examples of open source IDE's? [CH - 1]

(A) KompoZer

(B) Eclipse

(C) JBuilder

(D) All of above

3) Which of the following method sends the data as a block through the HTTP transaction?

[CH - 1]

[CH - 9]

(A) GET

(B) POST (C) FTP

(D) HTTPS

Which of the following allows specifying styles 4) for the visual elements of the website? [CH - 2]

- (A) Casecading Style Sheets
- (B) Web Page
- (C) Animation
- (D) Form
- Which of the following option Aptana Studio 5) complete web development provides environment for language support? [CH - 3]
  - (A) HTML

(B) CSS

(C) PHP

- (D) All of above
- What sign is used for creating API 6) documentation from the code? [CH - 7]
  - (A) //

(B) /\*....\*/

(C) /\*\*....\*/

- (D) \\
- By using which method of file output stream 7) classes writes b length bytes from the specified byte array in Java? [CH - 11]
  - (A) void write (int b)
  - (B) void write (byte | | b)
  - (C) void write (int length)
  - (D) void write (byte length)
- 8) Which method of Java class is used if we want to allow other methods to modify the data value? [CH - 8]
  - (A) Set or Setter

(B) Get or Getter

(C) Both (A) and (B)

(D) String []

- In Java which method is used to fill the whole or partial array with specified value ?[CH - 9]
  - (A) Fill

(B) Sort

(C) Set

(D) Insert value

TOTAL MARKS: 100]

10) Which of the following is not visibility sign in [CH - 6] class-diagram?

(A) ~

(B) \*

(C) #

(D) - (Dash)

11) Which of the following is the part of object oriented class diagram? [CH - 6]

- (A) Data Encapsulation(B) Data Abstraction
- (C) Polymorphism

(D) All of above

- In object-oriented methodology, the focus is on 12) which of the following entitles? [CH - 6]
  - (A) Data

(B) Functions

(C) Objects

(D) All of above

- 13) What is called when all browsers are split in to different parts or objects that can be accessed using Java Script? [CH - 2]
  - (A) Browser Object Model
  - (B) Browser Object Menu
  - (C) Browser Oriented Mdoel
  - (D) Browser Oriented Menu
- 14) Which of the following is the famous website for online auction? [CH - 4]
  - (A) www.ebav.com
- (B) www.mybids.in
- (C) www.ubid.com
- (D) All of above
- 15) An inheritance model refers to which of the following relationships? [CH - 6]
  - (A) 'is-a' relationship
  - (B) 'has-a' relationship
  - (C) 'a-part-of' relationship
  - (D) All of above
- What enables to represent and protect data in 16) which the implementation details are hidden?

[CH - 6]

- (A) Data Encapsulation
- (B) Data Abstraction
- (C) Both (A) and (B)
- (D) Message

Which of the following reserved character in 17) LaTeX ? [CH - 12]

- (A) %
- (B) @
- (C) ABC
- (D) 123

| 18)              | Which of the following softwares gives   |     | (B) M-Commerce operates over wireless  |
|------------------|--|-----|--|
|                  | permission to make different projects, analyzes all projects data and reates a project portfolio |     | networks.  |
|                  | view ? [CH - 13]   |     | (C) High cost of establishing mobile and wireless broadband infrastructure.                |
|                  | (A) Rational Plan (B) Barplot  |     | (D) Mobile device enables the user to be   |
|                  | (C) Chart (D) Grapha   |     | contacted at virtually any time any where.   |
| <b>19</b> )      | In Exceptional handling in Java, which is the  | 25) | Which of the following blocks contains the code  |
|                  | syntax of the try block ? [CH - 10]  |     | that is intended to handle exceptions of a   |
|                  | (A) try  |     | particular type that were created in the   |
|                  | { · · · · · · · · · · · · · · · · · · ·  |     | associated try block in Java Exception handling?   |
|                  | // set of statements   |     | [CH - 10]  |
|                  | , · · · · }  |     | (A) finally (B) start (C) catch (D) stop   |
| •                | (B) try  | 26) | Which of the following refers to a collection of   |
|                  |  |     | data stored on a non-volatile device in a computer system? [CH - 11]                       |
|                  | / set of statements  |     | · · · · · · · · · · · · · · · · · · ·  |
| į                | · j  |     | (A) File (B) Application (C) Volatile data (D) Hard-Disk                                   |
| ·                | (C) try  | 07) | * *  |
|                  | <  | 27) | Which aspect in M-Commerce security ensures that the information must not be accidently or |
|                  | / set of statements  |     | maliciously altered or tampered in transit?  |
|                  | >  |     | [CH - 5]   |
|                  | (D) try  |     | (A) Confidentiality (B) Integrity  |
|                  | (.   |     | (C) Authorization (D) Non-repudiation  |
|                  | // set of statements   | 28) | In Java, which of the following looping is exist   |
|                  | )  | 20) | controlled? [CH - 7]   |
| <b>20</b> )      | In M-Commerce, which of the following  |     | (A) For (B) While  |
|                  | starting address indicates that site is secured by   |     | (C) dowhile (D) ifthenelse   |
|                  | SSL protocol? [CH - 5]   | 29) | To make a string object which of the following   |
|                  | (A) http:// (B) ssl://   |     | constructers is used to create a string object   |
| , .              | (C) https:// (D) https-ssl://  |     | using 1-D ary argument starting at ary [start]   |
| 21)              | Which of the following begins with \begin \{ name \} and ends with \ends \{ name \} in           |     | with len number of characters ? [CH - 9]   |
| • ':'            | LaTeX? [CH - 12]   |     | (A) String(char ary [], int start, int len)  |
|                  | (A) group (B) section  |     | (B) String(int start, int length)  |
|                  | (C) environment (D) preamble   |     | (C) String(int length, int start)  |
| 22)              | Which command is used to quit from R?  |     | (D) String(char ary [ ], int len)  |
| ,                | [CH - 13]  | 30) | Which menu option is used to add input text field  |
|                  | (A) quit () (B) a ()   |     | in form field properties dialog box? [CH - 1]  |
|                  | (C) exit ( ) (D) close ( )   |     | (A) Format $\rightarrow$ Form $\rightarrow$ Form Field                                     |
| ·<br><b>23</b> ) | Which of the following E-Commerce business   |     | (B) View $\rightarrow$ Form Field  |
| 20)              | model refers to activities between different   |     | (C) Insert $\rightarrow$ Form - Form Field   |
|                  | business partners? [CH - 4]  |     | (D) Table $\rightarrow$ Form $\rightarrow$ Field Form                                      |
|                  | (A) G2B (B) C2B (C) B2B (D) B2C  | 31) | Which of the methods of string class returns   |
| 24)              | Which of the following is not a limitation of  |     | an array of characters as bytes from invoking  |
| ·                | M-Commerce ? [CH - 5]  |     | string in Java? [CH - 9]   |
|                  | (A) Mobile devices have limited computing  |     | (A) int length () (B) byte [] get bytes ()   |
|                  | power, memory and storage capacity.  |     | (C) int bytes [] (D) get bytes []  |
|                  |  |     | ·  |

| 32)         | What type of value is returned when we use get  | <b>42</b> ) | In Java, by using which sign 1-D array is   |
|-------------|---|-------------|---|
|             | method of calendar class with constant DAY_OF_WEEK as an argument in Java? [CH - 9]   |             | initialized to separate values of data elements in braces { } ? [CH - 9]                |
|             | (A) int (B) char (C) string (D) boolean   |             | (A) . (Full stop) (B) : (Colon)   |
| <b>33</b> ) | Which of the following element allows multi-line  |             | (C); (Semi colon) (D), (Comma)  |
|             | text input in HTML KompoZer form? [CH - 1]  | 43)         | What is another kind of Blue Griffon HTML   |
|             | (A) Textarea (B) Multiline  |             | editor in open source ? [CH - 3]  |
|             | (C) Insert Row (D) Insert Column  |             | (A) WYSIWYG (B) GYWSIY  |
| 34)         | How can we separate the product name,   |             | (C) YSIWYG (D) IIWYGSYW   |
|             | price, quantity and amount save as string in variable? [CH - 3]   | 44)         | Which attributes are used to indicate the field specify default value in HTML? [CH - 1] |
|             | (A): (Colon) (B); (Semi Colon)  |             | (A) type (B) name   |
|             | (C), (Comma) (D). (Full dot)  |             | (C) value (D) all of above  |
| <b>35</b> ) | Which method of scanner class of Java, scans  | 45)         | In Java class, from the following which key word  |
|             | the next token of the input as line ?[CH - 11] (A) boolean hasNext ()(B) int nextInt ()   |             | is used to call the constructor of super class in                                       |
|             | (C) float nextfloat ( ) (D) string nextline ( )   |             | the constructor of sub class? [CH - 8]  |
| 36)         | Which work can be done in file or directory in  |             | (A) extends (B) super   |
| 30)         | Java file class? [CH - 11]  |             | (C) name of the super class   |
|             | (A) Create (B) Rename   | 46)         | (D) new   |
|             | (C) Delete (D) All of above   | 46)         | In Java, which method is invoked automatically with creation of an object? [CH - 8]     |
| 37)         | Which of the following is a collection of   |             | (A) Instance method (B) Constructor   |
|             | interlinked web pages ? [CH - 3]  |             | (C) Class method (D) All of above   |
|             | (A) Web Page (B) Form   | 47)         | By using which option in table properties dialog  |
|             | (C) KompoZer (D) Website  | *')         | box a title is given in KompoZer? [CH - 3]  |
| 38)         | In Java, which of the following is not allowed as first character in valid variable name? [CH - 7]  |             | (A) Table Handling (B) Caption  |
|             | (A) _ (Underscore) (B) Digit  |             | (C) Table Name (D) Create Table Name  |
|             | (C) Letter (D) \$ (Dollar)  | 48)         | How does the Constructor differ from general  |
| <b>39</b> ) | Which of the following statements indicates   |             | method in Java? [CH - 8]  |
|             | the method in Java Script ? [CH - 2]  |             | (A) Constructor must have the same name as class name.                                  |
|             | "document.write("Hello Students") (A) document (B) write  |             | (B) Constructor does not have return type.  |
|             | (C) Hello Students (D) ("Hello Students")   |             | (C) Constructor cannot be invoked explicitly  |
| 40)         | How can you identify this facility in   |             | elsewhere in the program.   |
| 40)         | E-Commerce when software vendors (seller)   |             | (D) All of above  |
|             | also allow their licensed customers to download   | 49)         | Which of the command is used from the   |
|             | the recent update of the software? [CH - 4]   |             | following to write Sans Serif fonts in LaTex?   |
|             | (A) Information Services  |             | [CH - 12]   |
|             | (B) Support Services  |             | (A) \ textrm {text} (B) \ textsf {text}   |
|             | (C) Online Services   |             | (C) \ texttt {text} (D) \ text senserif {text}  |
|             | (D) Online Support Services   | 50)         | What is known as when programmes written  |
| 41)         | How is the general syntax of CSS defined ?  [CH - 2]  |             | in Java are compiled into machine language for a computer? [CH - 7]                     |
|             | (A) Selector {Property : Value}   |             | (A) Java Visuable Machine   |
|             | (B) Selector [Property : Value]   |             | (B) Java Virtual Machine  |
|             | (C) Selector (Value : Property)   |             | (C) Java View Modifyer  |
|             | (D) Selector <pre><pre><pre><pre><pre>(D) Selector <pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre> |             | (D) Java Visuable Modifyer  |
|             |   |             |   |

Board Paper: April - 2015

| 51)         | Which of the following is a scripting language that allows adding programming to web pages? | 61)         | Which of the following is a variable that is stored on the user's computer? [CH - 3] |
|-------------|---|-------------|--|
|             | [CH - 2]  |             | (A) Real (B) Integer   |
|             | (A) Action Script (B) Java Script   |             | (C) Cookie (D) Temp File   |
|             | (C) HTML (D) CSS  | <b>62</b> ) | By which method of file class in Java returns  |
| <b>52</b> ) | In commerce, which of the following is the  |             | true if the directory exists, otherwise returns                                      |
|             | process of buying and selling products by offering the customers to bid the price ?[CH - 4] |             | false ? [CH - 11]  |
|             | (A) Marketing (B) Auction   |             | (A) boolean exists () (B) boolean isFile ()  |
|             | (C) Book shop (D) All of above  |             | (C) boolean isDirectory ( )  |
| <b>53</b> ) | By which sign is the beginning and the end of   |             | (D) String [ ] list ( )  |
| <b>33</b> ) | encoded text of Data Compression done?  | <b>63</b> ) | In Java, if 'str' is the object of string class and                                  |
|             | [CH - 13]   |             | its content is "Thank God", then what is the   |
| ť           | (A) (Caret) ^ \$ (B) \$ ^ (Caret)   |             | value of str. length ()? [CH - 9]  |
|             | (C) " " (D) / /   |             | (A) 9 (B) 10 (C) 8 (D) 11  |
| <b>54</b> ) | In which part is the online payment through   | 64)         | Which menu option is used in LaTeX file if the                                       |
| 1           | credit card on internet divided ? [CH - 5]  |             | compilation was successful? [CH - 12]  |
| į.          | (A) Authorization (B) Settlement  |             | (A) Tools $\rightarrow$ Build (B) Tools $\rightarrow$ Go                             |
|             | (C) Both (A) and (B) (D) Smart Card   | ŀ           | (C) Format $\rightarrow$ Build (D) Insert $\rightarrow$ Build                        |
| <b>55</b> ) | What is known as post decrement in Java when  | 65)         | In Java, which statement is true for   |
|             | operator is used after variable name ? [CH - 7]   |             | <b>Exceptional Handling'?</b> [CH - 10]  |
|             | (A) + + (B) (C) = = (D) = <   |             | (A) try (B) catch  |
| <b>56</b> ) | In M-Commerce, who issues the credit card and   |             | (C) finally (D) all of above   |
|             | guarantees the payment to the merchant?   | 66)         | By using which package of LaTeX can we add   |
|             | [CH - 5]  |             | programming code within the document?  |
|             | (A) Merchant (B) Issuring bank  |             | [CH - 12]  |
|             | (C) Acquiring bank (D) Customer   |             | (A) easy list (B) set programming  |
| <b>57</b> ) | Which of the following E-Commerce business  |             | (C) listings (D) set space   |
|             | model refers to online non-commercial communication between the government                  | 67)         | Which tab is used to design (format) the web   |
|             | agencies, organizations and departments with  |             | page in KompoZer ? [CH - 1]  |
|             | other government agencies, organizations and  | · .         | (A) Design (B) Split   |
|             | departmentts ? [CH - 4]   |             | (C) Source (D) All of above  |
|             | (A) B2B (B) C2B (C) G2G (D) C2C   | 68)         | Which of the following statement isn't a   |
| <b>58</b> ) | Which stream is used to make text files and   |             | disadvantage of CSS ? [CH - 2]   |
|             | programme codes in Java? [CH - 11]  | 1           | (A) Style cannot be displayed as per the users                                       |
|             | (A) byte-stream (B) binery stream   | l           | design.  |
|             | (C) character stream (D) input stream class   |             | (B) Some of the style sheet features are no  |
| <b>59</b> ) | Which of the following file name is the home  |             | supported by the browser.  |
|             | page of the website saved as ? [CH - 1]   |             | (C) Both (A) and (B)   |
|             | (A) first.html (B) index.html   |             | (D) CSS has less code compared to that in  |
| 00)         | (C) home.html (D) main.html   |             | HTML.  |
| <b>60</b> ) | What is called the most commonly used network protection barrier between the company's      | 69)         | By using which extension file java interprete  |
|             | network and the outside world? [CH - 5]   |             | byte code executes? [CH - 7  |
|             | (A) Firewall  |             | (A) .java (B) .class (C) .txt (D) .Html  |
|             | (B) Antivirus Software  | 70)         | How many levels of visibility are used to  |
|             | (C) Digital Certificate   |             | protect a method or variable from sucl references in Java? [CH - 8                   |
|             | (D) Cryptography  |             | (A) 1 (B) 2 (C) 3 (D) 4  |
|             |   | ٠.          | (L) 1 (D) 2 (O) 0 (D) 4  |
|             |   |             |  |

| 51)         | Which of the following is a scripting language that allows adding programming to web pages?  [CH - 2]   | 61)  | Which of the following is a variable that is stored on the user's computer? [CH - 3]  (A) Real (B) Integer   |
|-------------|---|------|--|
|             | (A) Action Script (B) Java Script   |      | (C) Cookie (D) Temp File   |
|             | (C) HTML (D) CSS  | 62)  | By which method of file class in Java returns  |
| <b>52</b> ) | In commerce, which of the following is the process of buying and selling products by offering the customers to bid the price?[CH - 4]  (A) Marketing  (B) Auction | (02) | true if the directory exists, otherwise returns false? [CH - 11]  (A) boolean exists ( ) (B) boolean isFile ( )  |
|             | (C) Book shop (D) All of above  |      | (C) boolean isDirectory ( )  |
| <b>53</b> ) | By which sign is the beginning and the end of encoded text of Data Compression done?  [CH - 13]  (A) (Caret) ^ \$ (B) \$ ^ (Caret)                                | 63)  | (D) String [] list () In Java, if 'str' is the object of string class and its content is "Thank God", then what is the value of str. length ()? [CH - 9] |
|             | (C) " " (D) / /   |      | (A) 9 (B) 10 (C) 8 (D) 11  |
| <b>54</b> ) | In which part is the online payment through credit card on internet divided ? [CH - 5]  | 64)  | Which menu option is used in LaTeX file if the compilation was successful? [CH - 12]  (A) Tools → Build (B) Tools → Go                                   |
|             | (A) Authorization (B) Settlement  |      | (C) Format $\rightarrow$ Build (D) Insert $\rightarrow$ Build  |
| \           | (C) Both (A) and (B) (D) Smart Card   | 65)  | In Java, which statement is true for   |
| 55)         | What is known as post decrement in Java when operator is used after variable name? [CH - 7]   | 03)  | 'Exceptional Handling' ? [CH - 10]   |
|             | (A) + + (B) (C) = = (D) = <   |      |  |
| <b>56</b> ) | In M-Commerce, who issues the credit card and   | 00)  | (C) finally (D) all of above   |
|             | guarantees the payment to the merchant?  [CH - 5]   | 66)  | By using which package of LaTeX can we add programming code within the document?   |
|             | (A) Merchant (B) Issuring bank  |      | [CH - 12]  |
| >           | (C) Acquiring bank (D) Customer   | 1    | (A) easy list (B) set programming  |
| <b>57</b> ) | Which of the following E-Commerce business model refers to online non-commercial  |      | (C) listings (D) set space   |
|             | communication between the government  | 67)  | Which tab is used to design (format) the web   |
|             | agencies, organizations and departments with  |      | page in KompoZer? [CH - 1]   |
|             | other government agencies, organizations and  |      | (A) Design (B) Split   |
|             | departmentts ? [CH - 4]   |      | (C) Source (D) All of above  |
|             | (A) B2B (B) C2B (C) G2G (D) C2C   | 68)  | Which of the following statement isn't a   |
| 58)         | Which stream is used to make text files and programme codes in Java? [CH - 11]  (A) byte-stream (B) binery stream   |      | disadvantage of CSS? [CH - 2] (A) Style cannot be displayed as per the users design.   |
|             | (C) character stream (D) input stream class   |      | (B) Some of the style sheet features are no  |
| <b>59</b> ) | Which of the following file name is the home page of the website saved as ? [CH - 1]  |      | supported by the browser.  (C) Both (A) and (B)  |
|             | (A) first.html (B) index.html   |      | (D) CSS has less code compared to that in  |
|             | (C) home.html (D) main.html   |      | HTML.  |
| 60)         | What is called the most commonly used network protection barrier between the company's network and the outside world? [CH - 5]                                    | 69)  | By using which extension file java interprete<br>byte code executes? [CH - 7<br>(A) .java (B) .class (C) .txt (D).Html                                   |
|             | (A) Firewall  | 70)  | How many levels of visibility are used to  |
|             | (B) Antivirus Software  |      | protect a method or variable from sucl   |
|             | (C) Digital Certificate   |      | references in Java? [CH - 8  |
|             | (D) Cryptography  |      | (A) 1 (B) 2 (C) 3 (D) 4  |
|             |   |      |  |

| 71)         | In Java, how can be array elements accessed using index for each dimension in? [CH - 9]  | 81)         | In Java, what can be controlled by using the method and properties of document object? |
|-------------|--|-------------|--|
| <b>50</b> \ | (A) [ ] (B) ( ) (C) { } (D) < >  |             | [CH - 2]   |
| 72)         | From which of the following operators can we access instance variables and instance  |             | (A) Web Page (B) Web Browser   |
|             | methods? [CH - 8]  |             | (C) Document (D) All of these  |
|             | (A), (Comma) (B). (Full stop)  | <b>82</b> ) | In Java, what will be the result of arithmetic   |
|             | (C): (Colon) (D); (Semi colon)   |             | expression -7.5%2 ? [CH - 7]   |
| 73)         | In Java class, in which step a new key word is used  |             | (A) $-3$ (B) $-1.5$ (C) $1.5$ (D) Error  |
| ,           | to create the object by allocating memory?   | <b>83</b> ) | What do you need first to sell an item through   |
|             | [CH - 8]   |             | an online auction site ? [CH - 4]  |
|             | (A) Declaration (B) Instantiation  |             | (A) Document (B) Agreement   |
|             | (C) Initialization (D) All of above  | -           | (C) Register (D) Database  |
| <b>74)</b>  | In Java, which statement is used when there  | 84)         | In Java, by using which of the following methods                                       |
|             | are many alternative actions to be taken   |             | of comparing string returns '>0' integer if  |
|             | depending upon the value of a variable or  |             | invoking string is greater than? [CH - 9]  |
|             | expression? [CH - 7]   |             | (A) boolean equals (string str)  |
|             | (A) Switch Statement   |             | (B) boolean compare to (string str)  |
|             | (B) Nested - if Statement  |             | (C) int compare to (string str)  |
|             | (C) Control Statement (D) Repetive Statement   |             | (D) int compare to ignore (string str)   |
| <b>75</b> ) | What kind of the primitive data types are  | 85)         | Which online stores in India is becoming quite   |
| 13)         | provided in Java from the following? [CH - 7]  |             | popular of E-Commerce from the following?  |
|             | (A) boolean (B) double   |             | [CH - 4]   |
|             | (C) char (D) all of above  |             | (A) PayTM (B) Domino   |
| <b>76</b> ) | In Java, by which component is the class   |             | (C) Flipcart (D) All of these  |
|             | generally made up of ? [CH - 8]  | 86)         | What is called new class in object oriented  |
|             | (A) Attributes (B) Behaviour   |             | terminology ? [CH - 6]   |
|             | (C) Both (A) and (B) (D) Variable  |             | (A) sub class (B) child class  |
| <b>77</b> ) | How many parts are there in LaTeX document?  |             | (C) derived class (D) all of these   |
|             | [CH - 12]  | 87)         | What can be used to create models of object  |
|             | (A) 1 (B) 2 (C) 3 (D) 4  |             | oriented software to help with design of an  |
| <b>78</b> ) | Which element is used to create a drop down  |             | application ? [CH - 6]   |
| ٠.          | list or menu in a form in HTML? [CH-1]   |             | (A) Unified Modelling Language   |
|             | (A) <select> </select>   |             | (B) Unified Modelling Linux  |
|             | (B) <pre><pre>(B) <pre><pre>(B) <pre>(B) <pre>(B</pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre> |             | (C) Unified Manufacturing Linux  |
|             | (C) <pulldown> </pulldown> (D) <body> </body>  |             | (D) Unified Manufacturing Language   |
| <b>79</b> ) | Which menu option is used to insert a  | 88)         | Which of the following elements is not   |
| 13)         | horizontal line in KompoZer ? [CH - 3]   |             | included in try block in Java? [CH - 10]   |
|             | (A) Inset → Horizontal Line  |             | (A) the keyword try  |
|             | (B) Inset $\rightarrow$ Vertical Line  |             | (B) the keyword catch  |
|             | (C) Format $\rightarrow$ Horizontal Line   |             | (C) the curly braces   |
|             | (D) Format $\rightarrow$ Vertical Line   |             | (D) statements that might cause exceptions   |
| 80)         | What is the value of float data type in Java?  | 89)         | What object oriented programme, attributes   |
|             | [CH - 7]   |             | that describe the object are known? [CH - 6]   |
|             | (A) Integer (B) Real   |             | (A) Behaviour (B) Method   |
|             | (C) Charactor (D) Boolean  | ,           | (C) Data-field (D) State   |
|             |  |             |  |

| 90)  | What is called a reusable block of code that  | . (   | (B) It allows writ                      | ·                                      | ror handling   |
|------|---|-------|---|--|----------------|
|      | performs a particular task? [CH - 2]  |       | code from the                           |  |                |
|      | (A) Function (B) Code   |       | (C) Assertions ca                       | •                                      | •              |
|      | (C) Programming (D) All of these  |       |   | re depolying it to                     | the clients.   |
| 91)  | Which option consists of a property associated                                      |       | (D) All of these.                       |  |                |
|      | with the HTML element and corresponding value in CSS rule? [CH - 2]                 |       | In Java, array wha<br>object used to ma | -                                      | _              |
|      | (A) General (B) Aural   |       | (A) Declare an arr                      | ay object                              |                |
|      | (C) Lists (D) All of above  | ]     | (B) Create an arra                      | y object                               |                |
| 92)  | Which program is used to enter unicode characters into any application? [CH - 13]   | 4     | (C) Both (A) and (D) Define Object      |  |                |
|      | (A) Character Display (B) Character Insert  | l .   | In Java, in how                         |  | e can arrore   |
| ŧ    | (C) Character Map (D) Character Select  | 1     | classified?                             | many categories                        | [CH - 10]      |
| 93)  | How do you identify the variable which is   |       | (A) 1                                   | (B) 2                                  | [OII 19        |
| :    | define with in a class, out-side any method   |       | (C) 3                                   | (D) 4                                  |                |
| 1    | with the static key word in Java? [CH - 8]  |       | Which option is u                       | . ,                                    | x to keen the  |
|      | (A) Local variables (B) Instance variable   | 1     | option checked v                        | •                                      |                |
| 0.43 | (C) Class variables (D) None of above   | 1     | page ?                                  |  | [CH - 1        |
| 94)  | In VLC media player which menu option is used to convert multimedia files from one  | 1     | (A) Select Initially                    | (B) Initially                          | Selected       |
|      | format to another? [CH - 13]  | I     | (C) Show Initially                      | •                                      |                |
|      | (A) Format → Convert / Save   | 1     | In Java, which                          | _ ,                                    | •              |
|      | (B) Tools → Convert / Save  | 1     | attributes and me                       |  | [CH - 8        |
|      | (C) Media $\rightarrow$ Convert / Save  |       | (A) Class                               | (B) Object                             |                |
|      | (D) Insert $\rightarrow$ Save $\stackrel{\sim}{\rightarrow}$ Convert                |       | (C) Instacne                            | (D) Variable                           | 9              |
| 95)  | In Java, which of the advantages of Exception                                       | 100)  | Which Java Scri                         | pt event is ex                         | ented wher     |
| ,    | handling in object oriented programming   |       | element such as                         | _                                      | ,              |
|      | languages ? [CH - 10]   |       | active ?                                |  | [CH - 2        |
|      | (A) It allows us to maintain normal flow of   |       | (A) blur ( )                            | (B) abort (                            | )              |
|      | program.  |       | (C) unload ()                           | (D) load (                             | ) <sub>.</sub> |
| Ans  | .: (1 – A) (2 – D) (3 – B) (4 – A) (5 –   | D) (6 | - C) (7 - B)                            | (8 - A) (9 - A)                        | (10 – B)       |
|      | (11-D) $(12-C)$ $(13-A)$ $(14-D)$ $(15-C)$  |       |   | (18-A) $(19-A)$                        |                |
|      | (21 – C) (22 – *) (23 – C) (24 – D) (25 –   | -     |   | (28 - A) (29 - D)                      |                |
|      |   |       | 6 – D) (37 – D) (                       |  |                |
|      | (41 - A) (42 - D) (43 - A) (44 - C) (45 - (51 - B) (52 - B) (53 - A) (54 - C) (55 - |       |   | (48 – D) (49 – D)<br>(58 – A) (59 – B) |                |
|      | (61-B) $(62-B)$ $(63-A)$ $(64-B)$ $(65-B)$  |       | , ,                                     | (68 – D) (69 – B)                      | •              |
|      | (71 - C) $(72 - B)$ $(73 - D)$ $(74 - A)$ $(75 - C)$                                | ,     |   | (78-A) $(79-A)$                        |                |
|      | (81 – C) (82 – C) (83 – C) (84 – C) (85 –   | D) (8 | 6 - D) (87 - A)                         | (88 - D) (89 - D)                      | (90 – A)       |
|      | (91 – A) (92 – C) (93 – C) (94 – B) (95 –   | D) (9 | 6 – C) (97 – B)                         | (98 – *) (99 – A)                      | (100 – A)      |
|      |   |       |   |  |                |

## NOTE:

- \* There is error in every option of MCQ No. 22. The correct answer is q().
- \* MCQ No. 26 Volatile storage is temporary; values stored in variables are lost when a computer is shutdown. A Java program that stores a value in a variable uses Random Access Memory (RAM).
- \* There is error in every option of MCQ No. 98. The correct answer is Initially Checked.

## Computer (331) (E)

[TIME ; 2:00 HRS.

**BOARD'S PAPER OCTOBER: 2015** 

TOTAL MARKS: 100]

- 1) In object oriented programming, which of the following property keeps the data safe from unintended actions and inadvertent access by outside objects?
  - (A) Messaging
- (B) Polymorphism
- (C) Encapsulation
- (D) Data abstraction
- 2) In object-oriented programming, which of the following property enables to represent data in which the implementation details are hidden?
  - (A) Composition
- (B) Aggregation
- (C) Data abstraction
- (D) Messaging
- 3) Which feature of object oriented programming allows defining more than one method having same name but different signature in single class?
  - (A) Messaging
  - (B) Method overloading
  - (C) Aggregation
  - (D) Encapsulation
- 4) Polymorphism is achieved using how many types of overloading?
  - (A) 6
- (B) 3
- (C) 4
- . (D) 2
- 5) When objects of one class are composed of objects of other class is called what?
  - (A) Aggregation
- (B) Encapsulation
- (C) Inheritance
- (D) Polymorphism
- 6) Aggregation represents which type of relationship between two classes?
  - (A) exclusive
- (B) non-exclusive
- (C) same
- (D) None of these
- 7) What is known as the class that is contained in owner class?
  - (A) Subject class
- (B) Part class
- (C) aggregated class
- (D) All of these
- 8) In object oriented terminology, sub class or child class or derived class indicates what for inheritance?
  - (A) base class
- (B) existing class
- (C) super class
- (D) new class

- In class diagram, which of the following symbol is used to represent inheritance?
  - (A) Empty diamond symbol
  - (B) Filled diamond symbol
  - (C) Arrow symbol
  - (D) None of the above
- 10) In inheritance, which type of relationship exists between super class and sub class?
  - (A) 'a kind of'
- (B) exclusive
- (C) 'is like'
- (D) non exclusive
- 11) Which of the following technique is used for reducing the storage requirements of computer files and directory structures?
  - (A) cryptography
- (B) data hiding
- (C) data sizing
- (D) data compression
- 12) Java uses which of the following file compression format?
  - (A) gz
- (B) uz
- (C) jar
- (D) tar
- 13) Which of the following refers to a file that has an entire directory structure inside it?
  - (A) archive
- (B) archie
- (C) archi
- (D) apache
- 14) In VLC, which menu option is used to convert multimedia files from one format to another?
  - (A) Edit  $\rightarrow$  Convert
  - (B) Media → Convert/Save
  - (C) File  $\rightarrow$  Convert format
  - (D) Media → Insert format
- 15) Which of the following is a work environment of 'R' software ?
  - (A) Command line
- (B) Graphical
- (C) Command line and Graphical
- (D) None of the above
- 16) In 'R' software, strings are inclosed in which sign?
  - (A) \*\*
- (B) \$\$
- (C) /\* /\*
- (D) ' ' or " "
- 17) In 'R' software which of the following syntax is used to get help on a particular function?
  - (A) guide (function name)

(B) edit [function name] (C) help (function name) (D) ls (function name) In 'R' software which basic function is used to 18) find maximum value from the list? (A) big (list) (B) max (list) (C) mean (list) (D) maximum (list) 19) Which rational plan allows links between tasks pertaining to different projects, analyzes all our projects data and creates a project portfolio view? (A) Single (B) Multi (C) Viewer (D) None of these Which of the following is not an example of 20) instant messaging services? (A) Rediff Bol (B) Yahoo messenger (C) Google talk (D) Mytalk In HTML, which of the following is a container 21) used to collect different kinds of inputs from the user? (A) Frame and Database both (B) Frame (C) Database (D) Form 22) Which of the following attribute can be used in <Form> element of HTML? (A) Get and Post both (B) Method (C) Action and Method both (D) Action In HTML, which of the following attribute of 23) form specifies the HTTP method to be used when sending the data? (A) Value (B) Action (D) Method (C) Type Which of the following is an attribute of 24) <Input> tag of HTML form ? (A) Type (B) Name (C) Value (D) All of these

In HTML form, clicking on which of the

following button, the values of data entered in

the form are cleared and set back to default

25)

values?

(A) Reset (B) OnSubmit (C) Submit (D) OnClick 26) Which of the following is a software application that provides complete facilities to programmer to develop software? (A) Internet Development Environment (B) Internet Development Active (C) Interface Development Environment (D) Integrated Development Environment Kompozer software can be downloaded from **27**) which of the following website? (A) http://www.kompozer.in (B) https://www.kompozer.org (C) https://www.kompozer.edu (D) http://www.kompozer.net **28**) What is the fullform of CSS? (A) Cascading Standard Sheet (B) Copy Standard Style (C) Cascading Style Sheet (D) Copy Style Sheet 29) In Kompozer, which toolbar is used to create, open and save a file or publish a web page? (A) Composition toolbar (B) Format toolbar 1 (C) Format toolbar 2 (D) None of the above **30**) In Kompozer, which of the following tab is available on the left side of the page pane? (A) Design (B) Split (C) Source (D) All of these 31) How many viewing modes are there on the edit mode toolbar of Kompozer? (D) 2 (A) 6 (B) 3 (C) 4 32) In Kompozer, which menu option is used to open a file that has been opened recently? (A) File  $\rightarrow$  Web pages (B) File  $\rightarrow$  Recent pages (C) File  $\rightarrow$  Page list (D) File  $\rightarrow$  Form list In Kompozer, which menu option is used to 33) insert a label in form? (A) Form  $\rightarrow$  Form field (B) Format  $\rightarrow$  Label

(C) Form  $\rightarrow$  Define Label

(D) Insert  $\rightarrow$  Label

|             |   |                             |     | The second secon   |                            |  |
|-------------|---|-----------------------------|-----|--|----------------------------|--|
| 34)         |   | g is not a section of 'Form |     | (A) Box  | (B) Text                   |  |
|             |   | og box of Kompozer ?        |     | (C) Background   | (D) General                |  |
|             | (A) Field type  | (B) Field setting           | 42) |  | ing is not an advantage of |  |
|             | (C) Form name   | (D) None of the these       |     | CSS ?  |                            |  |
| 35)         | <u>-</u>  | menu option is used to      |     | (A) Less code comp   |                            |  |
|             | create a selection list of form?                                      |                             |     | (B) CSS makes website designing quick an   |                            |  |
|             | (A) Form $\rightarrow$ Selection list                                 |                             |     | efficient  |                            |  |
|             | (B) Form $\rightarrow$ Text Area                                      |                             |     |  | lity varies with different |  |
|             | (C) Form $\rightarrow$ Option list                                    |                             |     | browser  | will load factor           |  |
| ,           | (D) Form $\rightarrow$ List   |                             | 42) | (D) The web pages v  |                            |  |
| <b>36</b> ) | Which of the following statement is not true for CSS?                 |                             | 43) | Which of the following is used in web pages to improve the design and validate the form?   |                            |  |
|             |   | the style of the element in |     | (A) Text Editor  | (B) CSS                    |  |
|             | the document  | the style of the element in |     | (C) JavaScript   | (D) HTML                   |  |
|             | (B) CSS describes the information content of                          |                             |     | Which of the following browser does no   |                            |  |
|             | the document  |                             |     | support JavaScript   | ?                          |  |
|             | (C) Using CSS, we can control font type,                              |                             |     | (A) Mozilla Firefox  | (B) Chrome                 |  |
|             | margin and element position in our website                            |                             |     | (C) Safari   | (D) None of the above      |  |
|             | (D) None of the above   |                             | 45) | Using which tag, the JavaScript code   |                            |  |
| 37)         |   |                             |     | inserted into an HTML page ?   |                            |  |
| <b>31</b> ) | Which of the following is a general syntax of CSS?                    |                             |     | (A) <java></java>  | •                          |  |
|             | (A) Select <pre>cos : (A) Select <pre>coperty · value&gt;</pre></pre> |                             |     | (B) <text><td>t&gt;</td></text>  | t>                         |  |
|             | (B) Select : {value : property}                                       |                             |     | (C) <script></Se</td><td>cript></td></tr><tr><td></td><td colspan=2></td><td></td><td>(D) <Style></Sty</td><td>le></td></tr><tr><td></td><td colspan=2><ul><li>(C) Selector (property : value)</li><li>(D) Selector {property : value}</li></ul></td><td>46)</td><td>-</td><td>arts and ends with which</td></tr><tr><td>38)</td><td></td><td>ng tab is available in CSS</td><td></td><td colspan=2>brackets ?</td></tr><tr><td>30)</td><td>stylesheet dialog box</td><td></td><td></td><td>(A) [ ] (B) { }</td><td><math display="block">(C) < > \qquad (D) ()</math></td></tr><tr><td>•</td><td>(A) Background</td><td>(B) Borders</td><td>47)</td><td>-</td><td>keyword is used to define</td></tr><tr><td></td><td>(C) Box</td><td>(D) All of these</td><td></td><td>a function?</td><td></td></tr><tr><td>30)</td><td>• •</td><td></td><td></td><td>(A) Define</td><td>(B) Function</td></tr><tr><td><b>39</b>)</td><td></td><td>ing option is available in</td><td></td><td>(C) Func</td><td>(D) Fnc</td></tr><tr><td></td><td colspan=2>Text tab of CSS stylesheets dialog box of Kompozer?</td><td>48)</td><td colspan=3>Which of the following is not an example of user defined function of JavaScript?</td></tr><tr><td></td><td>(A) Font family</td><td>(B) Color</td><td></td><td></td><td>•</td></tr><tr><td></td><td>(C) Case</td><td>(D) All of these</td><td></td><td>(A) addnos ()</td><td>(B) validateForm ()</td></tr><tr><td>40)</td><td></td><td>• •</td><td></td><td>(C) validForm ()</td><td>(D) alert ()</td></tr><tr><td><b>40</b>)</td><td colspan=2>In Kompozer, which button of image option of background tab of CSS stylesheets dialog box</td><td>49)</td><td><b>-</b></td><td>nich event occurs when</td></tr><tr><td></td><td colspan=2>is used to insert an image in the background</td><td></td><td>loading of image is</td><td></td></tr><tr><td></td><td>of webpage ?</td><td>mingo in the buckbround</td><td></td><td>(A) abort</td><td>(B) focus</td></tr><tr><td></td><td>(A) Format picture</td><td>(B) Choose file</td><td>[ <b>50</b>)</td><td>(C) error</td><td>(D) upload</td></tr><tr><td></td><td>(C) Insert picture</td><td>(D) Insert file</td><td>50)</td><td>-</td><td>n statement is used to stop</td></tr><tr><td>41)</td><td>•</td><td>th tab of CSS stylesheet</td><td></td><td>specified value?</td><td>ecution and return the</td></tr><tr><td><b>T1</b>)</td><td>dialog box is use to</td><td>•</td><td></td><td>(A) reset (B) back</td><td>(C) submit (D) return</td></tr><tr><td></td><td></td><td></td><td>1</td><td>(LI) ICOCK (LI) DACK</td><td>(U) submit (D) foldin</td></tr></tbody></table></script> |                            |  |

Board Paper : October - 2015

| ) <b>1</b> ) | can be stored in the variable?   | 39)         | table?  |  |  |
|--------------|--|-------------|---|--|--|
|              | (A) numbers (B) string   |             | (A) Format (B) Table  |  |  |
|              | (C) text (D) All of these  |             | (C) Insert and Table both   |  |  |
| <b>52</b> )  | In browser object model, method and  |             | (D) Insert  |  |  |
|              | properties of which object is used to control  | <b>60</b> ) | In Kompozer, which option of borders and  |  |  |
|              | the web browser window ?   |             | spacing option of table properties dialog box is  |  |  |
|              | (A) option (B) document object   |             | used to specify gap between cells?  |  |  |
| •            | (C) window object (D) location   |             | (A) alignment (B) padding   |  |  |
| <b>53</b> )  | In JavaScript, isNaN() function returns what   |             | (C) spacing (D) size  |  |  |
|              | when the value passed is not a number?   |             | In Kompozer, which tab of image properties  |  |  |
| t            | (A) 10 (B) false (C) 11 (D) true   |             | dialog box is used to change the size of image?   |  |  |
| 54)          | In Kompozer form, the radio buttons for  |             | (A) Link (B) Dimensions   |  |  |
|              | gender field are grouped by the name 'gender'  |             | (C) Appearance (D) Location   |  |  |
| 1            | and gender is an array of two elements, so   | <b>62</b> ) | In Kompozer, which menu - option is used to   |  |  |
|              | how this two elements will be declared?  |             | change the title of web pages ?   |  |  |
|              | (A) gender [2] and gender [1]  |             | (A) Format → Page title and properties  |  |  |
|              | (B) gender [1] and gender [2]  |             | (B) Edit → Page title   |  |  |
|              | (C) gender [0] and gender [2]  |             | (C) View → Page title and properties  |  |  |
| ==\          | (D) gender [0] and gender [1]  | 69)         | <ul> <li>(D) Insert → Page title</li> <li>In JavaScript, which function is used to</li> </ul> |  |  |
| 55)          | In Java Script, which type of condition in 'if' statement allows program to enter the 'if' | <b>63</b> ) | change data into number?  |  |  |
|              | statement allows program to enter the in   |             | (A) int() (B) value()   |  |  |
|              | under it ?   |             | (C) parseFloat() (D) isNumber()   |  |  |
|              | (A) else (B) false (C) fi (D) true   | 64)         | Which protocol is use to transfer the web   |  |  |
| 56)          | Which of the following helps in promoting the  | ,           | pages from user's computer to the web host?   |  |  |
| :            | business, selling the products and attracting a  |             | (A) FTP (B) SMTP (C) POP (D) HTTPS  |  |  |
|              | large number of customers?   | 65)         | Which of the following is an open source IDE  |  |  |
|              | (A) ASP (B) webpage  | 1           | provides language support for Rails, Python etc   |  |  |
|              | (C) PHP (D) website  | <b>l</b> .  | as complete web development environment?  |  |  |
| 57)          | In the planning process of website, after  |             | (A) Text editor (B) Blue Griffon  |  |  |
|              | deciding what the content and layout of the  |             | (C) Amaya (D) Aptana studio   |  |  |
|              | website can be properly developed?   | 66)         | Which website is used to download Blue  |  |  |
|              | (A) Navigation   |             | Griffon easily?   |  |  |
|              | (B) Audience   |             | (A) www.editorbluegriffon.edu   |  |  |
|              | (C) Content and Medium   |             | (B) www.bluegriffon.org   |  |  |
|              | (D) Purpose  |             | (C) www.bluegriffon.in  |  |  |
| <b>58</b> )  |  |             | (D) www.bluegriffoneditor.edu   |  |  |
|              | which of the following category?   |             | Amaya is developed by which of the following?   |  |  |
|              | (A) Medium (B) Detailed  |             | (A) world wide web consortium   |  |  |
|              | (B) Detailed (C) Concretend Detailed   |             | (B) world wide web  |  |  |
|              | (C) General and Detailed   |             | (C) world wide web  |  |  |
|              | (D) General  |             | (D) world wide web corporation  |  |  |

- 68) Which page of the website is the first page that opens when user enters the URL address in the address bar of the browser?
  - (A) Índex page
- (B) Homepage
- (C) URL page
- (D) First page
- 69) In Kompozer, which option of 'Image properties' dialog box is used to display the text in case the image is not displayed in the browser?
  - (A) Tool tip
- (B) Picture text
- (C) Alternate text
- (D) Display text
- 70) Blue Griffon supports which of the following language?
  - (A) English
- (B) Dutch
- (C) Chinese
- (D) All of these
- 71) Which of the following is the process of buying and selling products by offering the customers to bid the price?
  - (A) E-marketing
- (B) Marketing
- (C) E-selling
- (D) Auction
- 72) Which of the following is not an example of online bookstore website?
  - (A) www.bookshopofindia.com
  - (B) www.mybookacc.com
  - (C) www.buybooksindia.com
  - (D) shopping.indiatimes.com
- 73) Education institutes provides examination results, online enrolment forms etc through internet is an example of which type of online service?
  - (A) Educational board services
  - (B) Support services
  - (C) Educational services
  - (D) Information services
- 74) Which of the following factor is playing role for the growth of E commerce in India?
  - (A) Increase in use of mobiles devices
  - (B) Availability of much wider product range
  - (C) Lack of time for traditional shopping
  - (D) All of above
- 75) E-commerce provides which of the following benefit to the society?
  - (A) Buy from home, office or any place

- (B) Health care services
- (C) Distance learning and education
- (D) All of above
- 76) Which of the following website is not an example of E-commerce business model B2C?
  - (A) flipcart.com
- (B) fabmart.com
- (C) tradeindia.com
- (D) rediff.com
- 77) Which of the following E-commerce business model refers to E-commerce activities between different business partners?
  - (A) C2B
- (B) C2C
- (C) B2C ·
- (D) B2B
- 78) ebay.com, OLX.com and Quikr.com websites are examples of which E-commerce business model?
  - (A) C2B
- (B) C2C
- (C) B2C
- (D) B2B
- 79) Which of the following is an advantage of E-commerce?
  - (A) Security
- (B) Privacy
- (C) Teamwork
- (D) All of these
- 80) On the website of Indian Railways after reservation, e-ticket is sent via which of the following?
  - (A) By fax
- (B) By SMS
- (C) By e-mail and By SMS
- (D) By e-mail
- 81) Software companies provide which type of online services to their customers for any problem in installation, configuration or use?
  - (A) Information services
  - (B) Support services
  - (C) Payment services
  - (D) None of the above
- 82) Which of the following is not a common feature of traditional commerce?
  - (A) Hiring of sales persons, sales manager and many more
  - (B) Reduces the per transaction cost
  - (C) No sharing of information with competitors
  - (D) Operates within a certain period of time
- 83) Which of the following is referred as online non commercial communication between the government agencies, organizations and departments with other government agencies,

84)

85)

86)

**87**)

88)

(A) G2B

(C) G2G

organizations and departments?

M-commerce Application?

(C) Mobile Entertainment

(B) Mobile Ticketing

(C) M - Transaction

(A) Tracking services

(A) SFTP (B) SET

(A) Malicious code

(C) Spoofing

secure?

location based services?

(D) All of above

(B) G2C

. 23

Board Paper: October - 2015 (A) watermarking (B) steganography (C) copyright (D) cryptography (D) All of these The payment cards can be classified into 93) which of the following type? Which of the following is an example of (A) Credit card (B) Debit card (A) Mobile marketing and advertising (D) All of these (C) Smart card Which of the following entity pay role in 94) online payment? (A) Customer care center Which of the following refers to the stock (B) Processor market services offered via mobile devices? (C) Payment gateway and Processor both (A) Mobile Investment (B) M - share (D) Payment gateway (D) Mobile brokerage While making payment through which the 95) Which of the following is not an example of customer is not required to provide the credit/ debit card number? (B) Navigation (A) Debit card (B) E - wallet (C) Directory services (D) None of these (C) Charge card (D) Smart card Major credit card companies use which 96) Which of the following programming security system to make online transaction language does not support object oriented programming? (C) SHTP (D) HTPS (A) Asp.Net (B) Java Which of the following is known as electronic (C) PHP (D) C defacing of an existing website page? 97) The way of programming can be divided into (B) Denial - of - service how many categories? (D) Cyber vandalism (A) 6 (C) 4 (D)298) Which of the following is used to define common feature of similar objects? (A) Class (B) Method (C) Object (D) Messaging In Class diagram, a class is represented using 99)

Which of the following is the network 89) protection barrier most commonly used between the company's network and the outside world?

(A) Cryptography

(B) Antivirus

(C) Digital Certificate (D) Firewall

Which of the following is an art of protecting 90) the information by transforming it into an unreadable form?

(A) Hidden text

(B) Decryption

(C) Cryptography

(D) Digital text

91) Which of the following symbol is not used for trademark?

(A) SM

(B) TM (C) ®

(D) C

What is known as the process of hiding **92**) information within other information?

which of the following?

(A) name

(B) behavior

(C) attributes

(D) All of these

100) In UML, visibility can be represented using which of the following symbols?

(A) +, /, ~ and \*.

(B) -, #, + and  $\_$  (underscore)

(C) -, #, \* and \$

(D) -, #, + and ~

| Answers of Board  | <b>Ouestion</b> | <b>Paner</b> | October - | 2015 |
|-------------------|-----------------|--------------|-----------|------|
| Intolleto of Dome | <b>Question</b> | Luper        | OCTORCI   | 2010 |

(1 - C) (2 - C)(3 - B)(4 - D) (5 - A)(6 - B) $(7 - \mathbf{D})$ (8 - D) (9 - C)(10 - A)(11-D) (12-C) (13-A) (14-B) (15-C) (16-D) (17-C) (18-B) (19-B)(20 - D)(21-D) (22-C) (23-D) (24-D) (25-A)(26 - D) (27 - D)(28 - C) (29 - A)(30 - D)(31-B) (32-B) (33-C) (34-C) (35-A) (36-B) (37-D) (38-D) (39-D)(40 - B)(41-D) (42-C) (43-C) (44-D) (45-C)(46 - B)(47 - B)(48 - D) (49 - A)(50 - D)(51-D) (52-C) (53-D) (54-D) (55-D) (56-D) (57-D)(58 - C) (59 - C)(60 - C)(61 - B) (62 - A)(63-C) (64-A) (65-D) (66-B)(67 - D) (68 - B) (69 - C)(70 - D)(71 - D) (72 - B)(73-D) (74-D) (75-D) (76-C) (77-D) (78-B) (79-C)(80 - C)(81 - B) (82 - B)(83-C) (84-D) (85-D) (86-D) (87-B) (88-D) (89-D)(90 - C)(91 - D) (92 - B)(93 - D) (94 - C) (95 - B)(96 - D) (97 - D) (98 - A) (99 - D)(100 - D)

\* \* \*