

- 1) Variables defined inside methods or blocks are called what ?
(A) Instance Variable (B) Class Variable
(C) Local Variable (D) Object Variable
- 2) Variables defined within a class but outside any method is known as what ?
(A) Class Variable (B) Instance Variable
(C) Local Variable (D) Object Variable
- 3) Which of the following word means "many forms" ?
(A) Polymorphism (B) Constructor
(C) Instance (D) Method
- 4) In Java we can have different methods that have same name but a different signature. This is called what ?
(A) Method loading (B) Method overloading
(C) Method testing (D) Method uploading
- 5) Which of the following can perform any action; but it is mainly designed to perform initializing actions ?
(A) Constructors (B) Confirmation
(C) Contractor (D) Consolidation
- 6) How to define user define no-argument constructor ?
(A) Room { } (); (B) Room { () };
(C) Room () { }; (D) Room { { } };
- 7) Which of the following is increment operator in Java ?
(A) -- (B) \+ (C) ++ (D) \++
- 8) Which of the following is not a fourth P's of protection ?
(A) Package (B) Private
(C) Public (D) Provide
- 9) To organize classes, where does package statement should be added in the source file ?
(A) First non-comment line
(B) Last line
(C) First comment line
(D) Last comment line
- 10) Which of the following is syntax of package ?
(A) Package {Classes Name};
(B) Package [{Object Name}];
(C) Package [Object Name];
(D) Package <Package Name>;
- 11) Highest level of protection can be achieved by using which protection level ?
(A) Public (B) Protect (C) Pure (D) Private
- 12) If we want to allow protect data to be used by others, then which methods we write ?
(A) Accessor (B) Changer
(C) Mutator (D) Allowor
- 13) If we want to allow protect data to be used by others to read only the data value, then we should use which method ?
(A) Mutator (B) Changer
(C) Getter (D) Allowor
- 14) Which of the following in object oriented programming language provide reusability feature ?
(A) Substation (B) Objection
(C) Inaddition (D) Inheritance
- 15) Which type of relationship inheritance uses between two classes ?
(A) 'have-a' (B) 'is-a'
(C) 'has-a' (D) 'are-a'
- 16) Which of the following is useful to represent vector, matrix and other multi-dimensional data ?
(A) Variable (B) Box
(C) Array (D) Structure
- 17) Which of the following is used to represent 2D data structure like table of rows and columns ?
(A) Variable (B) Box
(C) Array (D) Matrix
- 18) When we define Array, Index value starts with what ?
(A) 1 (B) 7 (C) 2 (D) 0 (zero)
- 19) If we have defined array like
int marks [] = {7, 9, 11, 13, 15, 17};
then what will be the value of marks[4] ?
(A) 13 (B) 9 (C) 15 (D) 17
- 20) Which of the following class is utilise in array to use methods Sort(); ?
(A) Java.math.Arrays (B) Java.All.Arrays
(C) Java.Function.Arrays
(D) Java.util.Arrays
- 21) To search an element in an array, Array class provides which method ?
(A) Element Search() (B) Search Element ()
(C) binarySearch () (D) Binary Element()

- 22) If in Java 2D Array is defined like
`int marks [] [] = new int [6] [4];`
 then, how many integers are stored in memory using contiguous memory ?
 (A) 64 (B) 10 (C) 42 (D) 24
- 23) To initialize 2-D arrays, all these initialized rows are to be enclosed in curly braces {} and separated by what ?
 (A) Dot (B) Comma
 (C) Semicolon (D) Colon
- 24) Java supports two types of strings that are handled by two classes namely as below ?
 (A) String and Buffered
 (B) String and Buffers
 (C) String and String Buffered
 (D) String and String Buffer
- 25) Which of the following constructor used to create a string object that refers to the literal specified in argument ?
 (A) String (string literal)
 (B) String (string arg {})
 (C) String (char arg [])
 (D) String (arg [] char)
- 26) Which of the following method of string class used to return true if invoking string is same as Str ?
 (A) boolean equals (String str)
 (B) boolean (String str)
 (C) int CompareTo (String str)
 (D) int Compare (String str)
- 27) Which of the following string method is used to return number of characters in invoking string ?
 (A) int invoke() (B) int length()
 (C) int con() (D) int find()
- 28) Which of the following method is used to return strings with all characters of invoking string converted to uppercase ?
 (A) String CaseUpper()
 (B) String UPPER()
 (C) String Upper()
 (D) String.toUpperCase()
- 29) Which of the following method string class of Java does not provide ?
 (A) Lowercase of a string
 (B) Uppercase of a string
 (C) Reverse a string
 (D) Concating a string
- 30) Java library also provide Data class in which package ?
 (A) Java.util (B) Java.util.Date
 (C) Java.date.util (D) Java.Date.util
- 31) Which of the following method of Date is used to construct Date object using current system time ?
 (A) int DateCurr() (B) CurrTime()
 (C) Date() (D) int CurrTime()
- 32) Which class can be used to extract detailed information like year, month, date, hour, minute & second ?
 (A) Calendar class (B) Month class
 (C) Year class (D) Second class
- 33) Which of the following class encapsulate both date and time and represent the values using milliseconds precision ?
 (A) Year class (B) TDate class
 (C) Date class (D) Time class
- 34) Which of the following constant of calendar class helps to display week number within the month ?
 (A) WEEK_OF_NUMBER
 (B) WEEK_OF_MONTH
 (C) WEEK_OF_YEAR
 (D) WEEK_OF_NMONTH
- 35) If 'Str' is the object of string class and its content is 'GUJARAT', then what is the value of Str.length() ?
 (A) 7 (B) 6 (C) 8 (D) 9
- 36) In Java, all types of error conditions are called as what ?
 (A) Error creator (B) Major problem
 (C) Exceptions (D) Extraction
- 37) In Java, if there is a Syntax error in the program then which of the following extension type file will not created ?
 (A) .Err (B) .Jav (C) .Java (D) .Class
- 38) Which of the following errors are usually the mistakes of a programmer and it won't allow the program to compile unless they are solved ?
 (A) Run - time errors
 (B) Compile - time errors
 (C) Compile - time - finder
 (D) Programmer - error - finder
- 39) Which of the following Exit code or Exit status indicates that the command executed successfully in Java ?
 (A) 1 (one) (B) 0 (zero)
 (C) 2 (two) (D) 3 (three)

- 40) Which of the following package contains a hierarchy of classes dealing with various exceptions ?
 (A) java.io and java.lang
 (B) java.Excep and java.io
 (C) java.Array and java.lang
 (D) java.Exp and java.io
- 41) Which of the following exception class handle an I/O error while printing ?
 (A) PRINTERERROR (B) PrintIOHandle
 (C) PrinterException (D) PrinterIOException
- 42) Which of the following keyword is not used in writing an exception handler ?
 (A) Catch (B) Finally (C) Try (D) Drop
- 43) Which of the following block contains the code that may give rise to one or more exceptions in exception handler ?
 (A) Catch (B) Finally (C) Try (D) Drop
- 44) Which of the following block must immediately follow the try block ?
 (A) Catch block (B) Throw clause
 (C) Throw block (D) Throw statement
- 45) When there is a multiple catch blocks are used then which catch block is considered as a default catch block ?
 (A) Middle catch block
 (B) First catch block
 (C) Second last catch block
 (D) Last catch block
- 46) Which of the following block is always executed, regardless of whether or not exceptions are thrown during the execution of the associated try block ?
 (A) Catch block (B) Finally block
 (C) Test block (D) Edit block
- 47) We can create user - defined exceptions by creating what of exception class ?
 (A) In class (B) Sub class
 (C) Outer class (D) Super class
- 48) Storage devices of a computer system can be broadly classified into how many categories ?
 (A) Four (B) Five (C) Two (D) Three
- 49) Which of the following file is known as binary files ?
 (A) Java (B) C (C) Text (D) MP3
- 50) Which type of value stored in variables are lost when computer is shutdown ?
 (A) Volatile storage (B) Permanent storage
 (C) Volate storage (D) Non-volatile storage
- 51) Random Access Memory is example of which type of storage ?
 (A) Volatile storage
 (B) Permanent storage
 (C) Volate storage
 (D) Non-volatile storage
- 52) Which of the following class encapsulates information about the properties of a file or a directory ?
 (A) java.io.directory (B) java.io.File
 (C) javae.File (D) java.directory
- 53) Which of the following method of File class used to returns true if the file exists, otherwise returns false ?
 (A) boolean FileExist()
 (B) boolean isDirectory()
 (C) boolean File() (D) boolean isFile()
- 54) Java uses which classes to carry out read and write operations on files ?
 (A) I/O class (B) Text class
 (C) Stream class (D) R/W class
- 55) Which of the following is an abstract representation of an Input or Output device that is used as a source or destination for data ?
 (A) Stream (B) Steam
 (C) Instance (D) Inheritance
- 56) Which of the following is the sub class of reader class ?
 (A) Print Reader (B) Buffered Reader
 (C) Text Reader (D) Base Reader
- 57) Scanner class belongs to the which package of Java ?
 (A) java.io (B) java.RW
 (C) java.lang (D) java.util
- 58) Which of the following is the default delimiter of Scanner class ?
 (A) Colon (B) Semicolon
 (C) Empty space (D) Double quotes
- 59) Which class provides a method for reading password ?
 (A) Writer class (B) Scanner class
 (C) File class (D) Console class
- 60) Which of the following Scanner class is used to return the next token ?
 (A) String nex() (B) String NToken()
 (C) String next() (D) String Token()

- 61) LaTeX documents are typically created using which editor in Ubuntu ?
 (A) Gedit (B) Editplus
 (C) Notepad (D) Wordpad
- 62) Which of the following can be used to explicitly specify the logical structure of the document in LaTeX ?
 (A) \title (B) \chapter
 (C) \date (D) \pdf
- 63) What is the file extension of TeX and LaTeX ?
 (A) .Xet (B) .Lat (C) .tar (D) .tex
- 64) LaTeX commands starts with a which character followed by the command line ?
 (A) / (front slash) (B) \ (back slash)
 (C) # (hash) (D) * (star)
- 65) Which of the following command in LaTeX is used to break lines ?
 (A) \\ (B) ;; (C) # (D) \$
- 66) In LaTeX, option argument is written in which brackets ?
 (A) {} (B) [] (C) () (D) <>
- 67) Which of the following character is reserved in LaTeX ?
 (A) , (Comma) (B) % (Percentage)
 (C) . (Dot) (D) : (Colon)
- 68) Which of the following character is used as comment in LaTeX ?
 (A) // (B) % (C) * (D) #
- 69) In LaTeX, the actual content is always inside the environment document, written between which of the following ?
 (A) \s {document} and \stop
 (B) \b and \a
 (C) \begin and \stop
 (D) \begin {document} and \end {document}
- 70) Which of the following shortcut is used to compile (Build) LaTeX file in SciTE editor ?
 (A) F5 (B) F4 (C) F7 (D) F9
- 71) Which of the following command is used in LaTeX to make text as italic effect ?
 (A) \ittext (B) \textit (C) \txtit (D) \tit
- 72) In LaTeX, square root of a number x is denoted by which of the following command ?
 (A) \st {x} (B) \sT {x}
 (C) \sqrt {x} (D) \sq {x}
- 73) In LaTeX, which of the following way we can print 'not equal to' symbol (\neq) ?
 (A) \nequal (B) \tn
 (C) \neq (D) \div
- 74) Which of the following commands generate the set union symbol ?
 (A) \Setunion (B) \Cup
 (C) \Cap (D) \Union
- 75) Which of the following refer to the very first line in the preamble ?
 (A) \title (B) \usepackage
 (C) \maketitle (D) \documentclass
- 76) Most of the Java syntax is very similar to which language ?
 (A) SQL (B) Fortran (C) C (D) Foxpro
- 77) At which level platform - independence is possible due to bytecode interpreter ?
 (A) Binary level (B) Bottom level
 (C) Source level (D) High level
- 78) The alphabet D in JDK stands for which of the following ?
 (A) Development (B) Department
 (C) Design (D) Desktop
- 79) Which of the following company is best known for its high-end Unix workstations ?
 (A) PC System (B) RIL System
 (C) Sun Microsystems (D) Apex System
- 80) Programs written in Java are compiled into machine language for a computer that doesn't really exist. This type of computer is known as what ?
 (A) Java Verifier Machine
 (B) Java Virtual Model
 (C) Java Vertical Machine
 (D) Java Virtual Machine
- 81) The only disadvantage of using bytecodes is which of the following ?
 (A) Fast execution speed
 (B) High execution speed
 (C) Slow execution speed
 (D) Random execution speed
- 82) In Java, Java source files name and class they define name should be what ?
 (A) Same (B) Totally different
 (C) Different (D) Vice Versa
- 83) What is the extension of Java source file ?
 (A) .Java (B) .JSF (C) .Jav (D) .JDK
- 84) Which of the following way user can run "abc. Java" source program through the application using Java interpreter ?
 (A) java.abc.obj (B) java ABC
 (C) abc.Java (D) java abc

- 85) In Java, the text written in which of the following are comments ?
 (A) /* */ (B) * */
 (C) /* /* (D) * *\
- 86) Which of the following editor is used to create Java source program in Ubuntu ?
 (A) Notebook (B) Jedit
 (C) Wordpad (D) SciTE
- 87) Java consists of function header & the sequence of statements enclosed between which braces ?
 (A) [] (B) [{ (C) { } (D) ()
- 88) Java supports how many primitive data type ?
 (A) 9 (B) 7 (C) 8 (D) 6
- 89) Which of the following data type hold real numbers ?
 (A) double (B) long (C) char (D) byte
- 90) A name used to refer to the data stored in memory is called what ?
 (A) Object (B) Value
 (C) Variable (D) Function
- 91) Which of the following is illegal way to define variable name in Java ?
 (A) %Sale (B) \$Price
 (C) B4U (D) Amount\$
- 92) Which of the following is not a reserved word in Java ?
 (A) else (B) class (C) static (D) rate
- 93) Control structures in Java is divided in two types loops and what ?
 (A) Function (B) Message
 (C) Branches (D) Alerts
- 94) In Java, which statement is used to exit from the loop structure ?
 (A) System (B) Stop (C) Out (D) Break
- 95) Which of the following is exit - controlled loop in Java ?
 (A) Do - while (B) For
 (C) While (D) Loop
- 96) Every class we write in Java is generally made up of which of the two components ?
 (A) Behaviour and Information
 (B) Attributes and Behaviour
 (C) Attributes and Information
 (D) Information and Comments
- 97) A variable declared using class type can only store what ?
 (A) Reference to an object
 (B) Store an object
 (C) Classified an object
 (D) Interfere an object
- 98) In Java, when objects are no more needed, the memory is claimed back for what ?
 (A) Direction (B) Next window
 (C) Reuse (D) Assignment
- 99) All instances of class are allocated memory in data structure is called what ?
 (A) Leap (B) Zeap (C) Heap (D) Reap
- 100) Here dot (.) is an operator and associativity of dot operator is from where to where ?
 (A) Left to right (B) Left to top
 (C) Right to left (D) Left to bottom



Answers of Board Question Paper : March - 2017

- Ans. : (1 - C) (2 - B) (3 - A) (4 - B) (5 - A) (6 - C) (7 - C) (8 - D) (9 - A) (10 - D)
 (11 - D) (12 - C) (13 - C) (14 - D) (15 - A) (16 - C) (17 - D) (18 - D) (19 - C) (20 - D)
 (21 - C) (22 - D) (23 - B) (24 - D) (25 - A) (26 - A) (27 - B) (28 - D) (29 - C) (30 - A)
 (31 - C) (32 - A) (33 - C) (34 - B) (35 - A) (36 - C) (37 - D) (38 - B) (39 - B) (40 - A)
 (41 - D) (42 - D) (43 - C) (44 - A) (45 - D) (46 - B) (47 - B) (48 - C) (49 - D) (50 - A)
 (51 - A) (52 - A) (53 - D) (54 - C) (55 - A) (56 - B) (57 - D) (58 - C) (59 - D) (60 - C)
 (61 - A) (62 - B) (63 - D) (64 - B) (65 - A) (66 - B) (67 - B) (68 - B) (69 - D) (70 - C)
 (71 - B) (72 - C) (73 - C) (74 - B) (75 - D) (76 - C) (77 - A) (78 - A) (79 - C) (80 - D)
 (81 - C) (82 - A) (83 - A) (84 - D) (85 - A) (86 - D) (87 - C) (88 - C) (89 - A) (90 - C)
 (91 - A) (92 - D) (93 - C) (94 - D) (95 - A) (96 - B) (97 - A) (98 - C) (99 - C) (100 - A)



Computer (331) (E)

TIME : 2:00 HRS.]

BOARD'S PAPER MARCH : 2017

[TOTAL MARKS : 100

- 1) What is to be represented on the top section of class diagram, which is a representation of class ?
(A) Name of the class
(B) Attributes or properties of class
(C) Behaviour of operations or methods of class
(D) All of these
- 2) The name used for a constant value is known as what in Java ?
(A) String (B) Array (C) Literal (D) Class
- 3) Inheritance is generally referred as which type of relationship between two classes ?
(A) Partial relationship
(B) Full relationship
(C) Exclusive relationship
(D) 'is-a kind' of relationship
- 4) Rational plan comprises of how many types of desktop products ?
(A) Two (B) Three (C) One (D) Four
- 5) If we want to make visible to all the classes outside the class, where method or variable is visible to class, which type of access modifier is used ?
(A) Protected (B) Package
(C) Public (D) Private
- 6) What should be the information of website ?
(A) Incomplete, Relevant
(B) Incomplete, Irrelevant
(C) Complete, Relevant
(D) Complete, Irrelevant
- 7) Which software allows user to make calls over the Internet using computer ?
(A) Amazon (B) Mcall.com
(C) Skype (D) Google Map
- 8) From the following which operator is used to access instance variable and instance methods in Java ?
(A) : (colon) (B) ; (semicolon)
(C) . (dot) (D) , (comma)
- 9) From the following who offers limited free space on the web server ?
(A) ISP (B) FTP (C) BOM (D) OMG
- 10) Kompozer incorporates with whom that gives rapid access to file on both local machines and remote servers ?
(A) Site Manager (B) Page Manager
(C) Document Manager
(D) None of these
- 11) When Java program created Java source file using text editor, which file extension should be given ?
(A) .class (B) .html (C) .jpg (D) .java
- 12) From the following which package is used to support mathematical symbols in LaTeX ?
(A) SOS (B) AMS (C) MATH (D) SIGN
- 13) Which extension is used to save file of LaTeX ?
(A) .text (B) .ltx (C) .tan (D) .tex
- 14) Which of the following statement is used in JavaScript to return a value in a function ?
(A) Event (B) Program
(C) Return (D) Function
- 15) Who developed Amaya, which is free open source WYSIWYG ?
(A) W3C (B) Google
(C) Netscape (D) Apple
- 16) Which string constructor is used without arguments to create a string object with no characters ?
(A) string() (B) string (Char ary [])
(C) string(string str obj)
(D) string(str literal)
- 17) Which network is developed by the Gujarat Government to provide information regarding various government departments, different application forms to be used by citizens ?
(A) GSWAN (B) MSWAN
(C) ASWAN (D) RSWAN

- 18) Which is a program that uses internet to record information that passes through a computer or router in transit from sender to receiver?
- (A) Cyber Vandalism (B) Sniffing
(C) Malicious Code (D) Spoofing
- 19) Which method can be applied on the variable that is stored on user's computer cookie?
- (A) Cookies can be read
(B) Cookies can be created
(C) Cookies can be modified
(D) All of these
- 20) What is used in web pages to improve the design and validate the forms?
- (A) 'C' language (B) Java
(C) Oracle (D) JavaScript
- 21) Which operator can be used to concatenate a string in Java?
- (A) = (B) + (C) & (D) *
- 22) Which exception class is observed when an attempt to access the array element with an index value that is outside the range of array in Java?
- (A) Array Out of Box
(B) Array out of Index
(C) Array Index Out of Bounds Exception
(D) Not Found Array
- 23) In object oriented terminology, the existing class is known as what?
- (A) Super class (B) Parent class
(C) Sub class (D) Both (A) and (B)
- 24) How can one write reserved character \$ in LaTeX?
- (A) \\$ (B) -\$ (C) *\$ (D) #S
- 25) Which block is generally used to clean up at the end of executing a try block?
- (A) finally (B) catch (C) try (D) throws
- 26) In form, which input element can be used to enter comment, report or a long description of a product?
- (A) <select> ... </select>
(B) <option> ... </option>
(C) <longtext> ... </longtext>
(D) <textarea> ... </textarea>
- 27) Which kind of webpage is created using HTML?
- (A) Static
(B) Could not be changed
(C) Both (A) and (B) (D) Dynamic
- 28) Which steps are required to create object from a class in Java?
- (A) Declaration (B) Instantiation
(C) Initialization (D) All of these
- 29) From the following, which are the types of stream class in Java?
- (A) Character stream (B) Byte stream class
(C) Both (A) and (B) (D) Boolean stream
- 30) In object-oriented programming (OOP) languages, creating an object is also known as what?
- (A) Object instantiation
(B) Object creation
(C) Object making (D) None of these
- 31) From the following which are the examples of B2C E-commerce business model?
- (A) fabmart.com (B) flipkart.com
(C) amazon.com (D) All of these
- 32) In Java, to search an element in an array, array class provides which type of method?
- (A) fill() (B) binarySearch()
(C) sort() (D) remove()
- 33) From the following which option is used to insert table in webpage made in KompoZer?
- (A) Format → Table (B) Insert → Table
(C) View → Table (D) Modify → Table
- 34) From the following which extension are used to indicate text files?
- (A) .c (B) .txt
(C) .java (D) All of these
- 35) Which of the following website hosts the LaTeX packages?
- (A) CTAN (B) CLAN (C) CTEN (D) CLEN
- 36) Which type of braces is used to initialize data elements in 1-D array?
- (A) <> (B) [] (C) {} (D) ()

- 37) From the following what is the purpose for developing website ?
 (A) To provide information to a group of people.
 (B) To attract new customers.
 (C) To sell the products online.
 (D) All of these
- 38) Which is the most commonly used numeric function in JavaScript ?
 (A) validateForm() (B) isNaN()
 (C) alert() (D) number()
- 39) In Java, if 'Str' is the object of string class and its content is "Hello", then what is the value of str.length() ?
 (A) 8 (B) 7 (C) 6 (D) 5
- 40) Which is the default level of protection, where lack of any access modifier keyword is in a declaration in Java ?
 (A) Public (B) Package
 (C) Protected (D) Private
- 41) Which is the most popular and widely accepted method of payment on internet in E-commerce / M-commerce ?
 (A) Credit Card (B) Cash
 (C) Electronic Wallet (D) Ru-pay
- 42) Which method of string class is used to return a string with all characters of invoking string converted to uppercase ?
 (A) int length()
 (B) byte [] getBytes()
 (C) String to Uppercase()
 (D) String concat(string str)
- 43) From the following which is a limitation of E-commerce ?
 (A) Conducts Business 24 × 7
 (B) Speed
 (C) No boundaries of geographical limitations
 (D) Security
- 44) What is the default value of Boolean data type of Java ?
 (A) False (B) True
 (C) 0 (zero) (D) 1
- 45) Which command is used to begin environment in LaTeX ?
 (A) \begin {name} (B) /begin {name}
 (C) \start {name} (D) /start {name}
- 46) var x = document.js1.name.value
 In above statement, which is a variable ?
 (A) x (B) document
 (C) js1 (D) name.value
- 47) We can use various static methods provided by Java using which array class ?
 (A) java.util.Arrays (B) java.io
 (C) java.lang (D) All of these
- 48) In object-oriented programming, what is an indication of problem which occurs during program execution ?
 (A) Function (B) String
 (C) Array (D) Exception
- 49) What is the full form of CSS ?
 (A) Cascading Style Sheet
 (B) Cascading Super Sheet
 (C) Cascading Short Style
 (D) Cascade Sine Simple
- 50) Which E-commerce business model refers to E-commerce activities involving transactions between and among the consumers ?
 (A) Government to Business
 (B) Consumer to Consumer
 (C) Business to Business
 (D) Business to Consumer
- 51) Which menu is used to change page title in website created in KompoZer ?
 (A) Format → Page Title and Properties
 (B) Format → Heading
 (C) Insert → Heading
 (D) Insert → Heading and Subheading
- 52) File method boolean isFile() returns which type of value of File class ?
 (A) True or False (B) Yes or No
 (C) 0 or 1 (D) Y or N
- 53) In Java, if we want to allow data directly accessed by methods of other class, then which method is used ?
 (A) getter (B) setter (C) main (D) void

- 54) Which sign indicates single line comment in Java ?
 (A) /* and ends with */
 (B) /** and ends with */
 (C) // (D) #
- 55) Which were the first applications of E-commerce website on Internet ?
 (A) E-newspaper (B) Book shops
 (C) Online Auctions (D) Marketing and Selling
- 56) In Java in which condition program will get a compilation error and not be able to create ".class" file ?
 (A) Syntax error in compilation
 (B) Use of undeclared variable
 (C) Wrong spellings of identifier or keyword
 (D) All of these
- 57) Which method of date class constructs date object using current system time in Java ?
 (A) Date & Time() (B) Today's Date()
 (C) Date() (D) now()
- 58) From the following which are the examples of open source IDEs ?
 (A) KompoZer (B) Eclipse
 (C) JBuilder and Netbeans
 (D) All of these
- 59) Which type of block contains the code that may give rise to one or more exceptions in Java ?
 (A) try (B) catch (C) throw (D) finally
- 60) Generally, which input element is used to select a single item from a given group of item ?
 (A) Textbox (B) Checkbox
 (C) Radio button (D) Password
- 61) Unified Modeling Language is defined by whom ?
 (A) IMG (B) PMG (C) OMG (D) CMG
- 62) From the following which type of visibility modifiers are used to protect a method or variables ?
 (A) Public (B) Package
 (C) Protected and Private
 (D) All of these
- 63) From the following which is the illegal name of variable in Java ?
 (A) 4me (B) result
 (C) amount\$ (D) price\$
- 64) What is the size of second dimension in an array sales [5][12] ?
 (A) 12 (B) 5 (C) 60 (D) 11
- 65) Which of the following is true about streams in Java ?
 (A) Streams always flow in two directions.
 (B) Streams are channels through which the data flow.
 (C) Only one stream can be opened in a program at a time.
 (D) All of these
- 66) Which of the following is the process of buying and selling products by offering the customers to bid the price ?
 (A) Auction (B) Registration
 (C) Book store
 (D) Marketing and Selling
- 67) From the following who allows more interactivity and control in data entry ?
 (A) HTML Form (B) HTML Table
 (C) HTML Report (D) All of these
- 68) To add CSS in HTML webpage what is to be used as a selector ?
 (A) Information (B) Color
 (C) HTML element (D) All of these
- 69) From the following which is the example of Consumer to Business model ?
 (A) bidstall.com (B) JeetLe.in
 (C) Both (A) and (B) (D) Flipkart.com
- 70) A CSS rule has how many parts ?
 (A) 1 (B) 2 (C) 3 (D) 4
- 71) What is the full form of TAR ?
 (A) Tape Archiver (B) Tape Attacker
 (C) Tape Analyzer (D) Tape Administrator
- 72) Which command is used to compile source program in SciTE ?
 (A) Edit → Compile (B) Format → Compile
 (C) Tools → Compile
 (D) File → Compile

- 73) Which shortcut key is used to compile LaTeX file in SciTE editor ?
 (A) F4 (B) F5 (C) F6 (D) F7
- 74) Which of the following is enabled by data abstraction ?
 (A) Data protection
 (B) Data hiding
 (C) To hide implementation details of method manipulating the data
 (D) All of these
- 75) From the following which is not a comparison operator in Java ?
 (A) > (B) < (C) <= (D) +
- 76) Which attribute of form elements is used to specify where to send the form data when the form is submitted ?
 (A) method (B) action
 (C) name (D) type
- 77) Arrays are useful to represent which type of data in Java ?
 (A) vector (B) matrix
 (C) multi-dimensional (D) All of these
- 78) What are the limitations of Mobile commerce ?
 (A) Limited screen size
 (B) Virtually can contact a user anytime and anywhere
 (C) Provides global reach
 (D) Customized alerts can be easily received on the mobile
- 79) Java language was developed by whom ?
 (A) Sun Microsystems
 (B) Oracle
 (C) Netscape (D) Microsoft
- 80) What is the full form of JVM ?
 (A) Java Visibility Modifier
 (B) Java Visual Modem
 (C) Java Virtual Machine
 (D) Java Visual Machine
- 81) Which of the following is used as a separator between fields of record ?
 (A) Variable (B) Space
 (C) Path (D) Delimiter
- 82) A computer language is object oriented if it supports which type of object properties ?
 (A) Abstraction
 (B) Polymorphism and Encapsulation
 (C) Inheritance (D) All of these
- 83) From the following which storage is permanent storage, data is not lost when a computer loses power ?
 (A) Volatile storage (B) Non-volatile storage
 (C) Both (A) and (B) (D) Object data
- 84) Which block contains the code that is to be executed to handle an exception which is throw object using throw keyword ?
 (A) try (B) catch
 (C) finally (D) throwobj
- 85) Which protocol is used for securing web transactions on the Internet ?
 (A) NNTP (B) FTP (C) STP (D) SSL
- 86) From the following which are powerful open source IDEs for building web applications like Java ?
 (A) Aptana Studio (B) Blue Griffon
 (C) Amaya (D) All of these
- 87) What refers to buying and selling of goods or services through the uses of internet enabled wireless device ?
 (A) M-Banking
 (B) Multimedia Shopping
 (C) M-Commerce
 (D) Modern Commerce
- 88) Java programming language use which type of methodology to analysis, design and implementation of software ?
 (A) Structure / Procedural programming language
 (B) Object-oriented programming language
 (C) Both (A) and (B)
 (D) System oriented programming language
- 89) Which program is used to enter Unicode Character into any application ?
 (A) Character Display
 (B) Character Map

- (C) Character Insert
(D) Character Select
- 90) Which tab shows all details of HTML code, that helps in editing the source code on the left side of page pane of KompoZer ?
(A) Design (B) Split
(C) Source (D) All of these
- 91) From the following which is not an event in JavaScript ?
(A) Abort (B) Alert
(C) Click (D) Submit
- 92) In Java, a class is defined using which keyword ?
(A) Class (B) Public (C) Static (D) Main
- 93) From the following which option is not in Form Properties Dialog Box of KompoZer ?
(A) Form Name (B) Action URL
(C) Method (D) Field Value
- 94) What should be used to control the web browser window or the web page in JavaScript ?
(A) OMG (B) BOM (C) BOD (D) UML
- 95) What is the mechanism of providing protection to data and methods of a program in object-oriented programming language ?
(A) Data Abstraction (B) Encapsulation
(C) Messaging (D) Polymorphism
- 96) The meaning of which word, is "many forms"; different forms of methods with same name in Java ?
(A) Inheritance (B) Polymorphism
(C) Aggregation (D) Composition
- 97) Which steps are followed for the process of creation of array in Java ?
(A) Declare an array object
(B) Create an array object
(C) Both (A) and (B)
(D) Manage an array object
- 98) Which is a computer program that detects, prevents and takes action to remove the malicious codes like viruses, worms and trojan horses from the infected computer ?
(A) Firewall (B) Cryptography
(C) Antivirus software (D) Digital certificate
- 99) Which type of variables are defined inside methods or blocks ?
(A) Local variables (B) Instance variables
(C) Class variables (D) Block variables
- 100) From the following which technique is used for reducing the storage requirement of computer file and directory structures ?
(A) Data repetition (B) Data installation
(C) Data compression (D) All of these



Answers of Board Question Paper : March - 2017

- Ans.:** (1 - A) (2 - C) (3 - D) (4 - B) (5 - C) (6 - C) (7 - C) (8 - C) (9 - A) (10 - A)
 (11 - D) (12 - B) (13 - D) (14 - C) (15 - A) (16 - A) (17 - A) (18 - B) (19 - D) (20 - D)
 (21 - B) (22 - B) (23 - D) (24 - A) (25 - A) (26 - D) (27 - C) (28 - D) (29 - C) (30 - A)
 (31 - D) (32 - B) (33 - B) (34 - D) (35 - A) (36 - C) (37 - D) (38 - B) (39 - D) (40 - B)
 (41 - A) (42 - C) (43 - D) (44 - A) (45 - A) (46 - A) (47 - A) (48 - D) (49 - A) (50 - B)
 (51 - A) (52 - A) (53 - A) (54 - C) (55 - B) (56 - D) (57 - C) (58 - D) (59 - A) (60 - C)
 (61 - C) (62 - D) (63 - A) (64 - C) (65 - D) (66 - A) (67 - A) (68 - C) (69 - C) (70 - C)
 (71 - A) (72 - C) (73 - B) (74 - D) (75 - D) (76 - B) (77 - D) (78 - A) (79 - A) (80 - C)
 (81 - B) (82 - D) (83 - B) (84 - B) (85 - D) (86 - D) (87 - C) (88 - C) (89 - B) (90 - C)
 (91 - B) (92 - A) (93 - D) (94 - B) (95 - A,B) (96 - B) (97 - C) (98 - C) (99 - A) (100 - C)



- 1) Variables defined inside methods or blocks are called what ? 167
(A) Instance Variable (B) Class Variable
☒ (C) Local Variable (D) Object Variable
- 2) Variables defined within a class but outside any method is known as what ? 167
(A) Class Variable ☒ (B) Instance Variable
(C) Local Variable (D) Object Variable
- 3) Which of the following word means "many forms" ? 167
☒ (A) Polymorphism (B) Constructor
(C) Instance (D) Method
- 4) In Java we can have different methods that have same name but a different signature. This is called what ? 167
(A) Method loading ☒ (B) Method overloading
(C) Method testing (D) Method uploading
- 5) Which of the following can perform any action; but it is mainly designed to perform initializing actions ? 168
☒ (A) Constructors (B) Confirmation
(C) Contractor (D) Consolidation
- 6) How to define user define no-argument constructor ? 170
(A) Room {} (); (B) Room {()};
☒ (C) Room () {}; (D) Room { {} };
- 7) Which of the following is increment operator in Java ? 142
(A) -- (B) \+ ☒ (C) ++ (D) \++
- 8) Which of the following is not a fourth P's of protection ? 170
(A) Package (B) Private
(C) Public ☒ (D) Provide
- 9) To organize classes, where does package statement should be added in the source file ?
170 ☒ (A) First non-comment line
(B) Last line
(C) First comment line
(D) Last comment line
- 10) Which of the following is syntax of package ?
170 (A) Package {Classes Name};
(B) Package [{Object Name}];
(C) Package [Object Name];
☒ (D) Package <Package Name>;
- 11) Highest level of protection can be achieved by using which protection level ? 172
(A) Public (B) Protect (C) Pure ☒ (D) Private
- 12) If we want to allow protect data to be used by others, then which methods we write ?
174 ☒ (A) Accessor (B) Changer
(C) Mutator (D) Allowor
- 13) If we want to allow protect data to be used by others to read only the data value, then we should use which method ?
174 ☒ (A) Mutator (B) Changer
☒ (C) Getter (D) Allowor
- 14) Which of the following in object oriented programming language provide reusability feature ? 176
(A) Substation (B) Objection
(C) Inaddition ☒ (D) Inheritance
- 15) Which type of relationship inheritance uses between two classes ? 176
(A) 'have-a' ☒ (B) 'is-a'
(C) 'has-a' (D) 'are-a'
- 16) Which of the following is useful to represent vector, matrix and other multi-dimensional data ? 186
(A) Variable (B) Box
☒ (C) Array (D) Structure
- 17) Which of the following is used to represent 2D data structure like table of rows and columns ?
(A) Variable (B) Box 186
(C) Array ☒ (D) Matrix
- 18) When we define Array, Index value starts with what ? 187
(A) 1 (B) 7 (C) 2 ☒ (D) 0 (zero)
- 19) If we have defined array like
chp int marks [] = {7, 9, 11, 13, 15, 17};
9 then what will be the value of marks[4] ?
☒ (A) 13 (B) 9 ☒ (C) 15 (D) 17
- 20) Which of the following class is utilise in array to use methods Sort(); ? 189
(A) Java.math.Arrays (B) Java.AllArrays
(C) Java.Function.Arrays
☒ (D) Java.util.Arrays
- 21) To search an element in an array, Array class provides which method ? 190
(A) Element Search() (B) Search Element ()
☒ (C) binarySearch () (D) Binary Element()

- 22) If in Java 2D Array is defined like
`int marks [] [] = new int [6] [4];` 191
 then, how many integers are stored in memory using contiguous memory?
 (A) 64 (B) 10 (C) 42 ☒ (D) 24
- 23) To initialize 2-D arrays, all these initialized rows are to be enclosed in curly braces {} and separated by what? 192
 (A) Dot ☒ (B) Comma
 (C) Semicolon (D) Colon
- 24) Java supports two types of strings that are handled by two classes namely as below?
 (A) String and Buffered 194
 (B) String and Buffers
 (C) String and String Buffered
☒ (D) String and String Buffer
- 25) Which of the following constructor used to create a string object that refers to the literal specified in argument? 194
☒ (A) String (string literal)
 (B) String (string arg {})
 (C) String (char arg {})
 (D) String (arg [] char)
- 26) Which of the following method of string class used to return true if invoking string is same as Str? 196
☒ (A) boolean equals (String str)
 (B) boolean (String str)
 (C) int CompareTo (String str)
 (D) int Compare (String str)
- 27) Which of the following string method is used to return number of characters in invoking string?
 197 (A) int invoke0 ☒ (B) int length0
 (C) int con0 (D) int find0
- 28) Which of the following method is used to return strings with all characters of invoking string converted to uppercase?
 197 (A) String CaseUpper0
 (B) String UPPER0
 (C) String Upper0
☒ (D) String.toUpperCase0
- 29) Which of the following method string class of Java does not provide?
 197 (A) Lowercase of a string
 (B) Uppercase of a string
☒ (C) Reverse a string
 (D) Concating a string
- 30) Java library also provide Data class in which package? 198
☒ (A) Java.util (B) Java.util.Date
 (C) Java.date.util (D) Java.Date.util
- 31) Which of the following method of Date is used to construct Date object using current system time? 199
 (A) int DateCurr0 (B) CurrTime0
☒ (C) Date0 (D) int CurrTime0
- 32) Which class can be used to extract detailed information like year, month, date, hour, minute & second? 199
☒ (A) Calendar class (B) Month class
 (C) Year class (D) Second class
- 33) Which of the following class encapsulate both date and time and represent the values using milliseconds precision? 199
 (A) Year class (B) TDate class
☒ (C) Date class (D) Time class
- 34) Which of the following constant of calendar class helps to display week number within the month? 200
 (A) WEEK_OF_NUMBER
☒ (B) WEEK_OF_MONTH
 (C) WEEK_OF_YEAR
 (D) WEEK_OF_NMONTH
- 35) If 'Str' is the object of string class and its content is 'GUJARAT', then what is the value of Str.length0? chp. 9
☒ (A) 7 (B) 6 (C) 8 (D) 9
- 36) In Java, all types of error conditions are called as what? 203
 (A) Error creator (B) Major problem
☒ (C) Exceptions (D) Extraction
- 37) In Java, if there is a Syntax error in the program then which of the following extension type file will not created? 203
 (A) .Err (B) .Jav (C) .Java ☒ (D) .Class
- 38) Which of the following errors are usually the mistakes of a programmer and it won't allow the program to compile unless they are solved?
 204 (A) Run - time errors
☒ (B) Compile - time errors
 (C) Compile - time - finder
 (D) Programmer - error - finder
- 39) Which of the following Exit code or Exit status indicates that the command executed successfully in Java? 204
 (A) 1 (one) ☒ (B) 0 (zero)
 (C) 2 (two) (D) 3 (three)

- 40) Which of the following package contains a hierarchy of classes dealing with various exceptions ? 205
☒ (A) java.io and java.lang
 (B) java.Excep and java.io
 (C) java.Array and java.lang
 (D) java.Exp and java.io
- 41) Which of the following exception class handle an I/O error while printing ? 205
 (A) PRINTERERROR (B) PrintIOHandle
 (C) PrinterException ☒ (D) PrinterIOException
- 42) Which of the following keyword is not used in writing an exception handler ? 206
 (A) Catch (B) Finally (C) Try ☒ (D) Drop
- 43) Which of the following block contains the code that may give rise to one or more exceptions in exception handler ? 206
 (A) Catch (B) Finally ☒ (C) Try (D) Drop
- 44) Which of the following block must immediately follow the try block ? 206
☒ (A) Catch block (B) Throw clause
 (C) Throw block (D) Throw statement
- 45) When there is a multiple catch blocks are used then which catch block is considered as a default catch block ? 211
 (A) Middle catch block
 (B) First catch block
 (C) Second last catch block
☒ (D) Last catch block
- 46) Which of the following block is always executed, regardless of whether or not exceptions are thrown during the execution of the associated try block ? 211
 (A) Catch block ☒ (B) Finally block
 (C) Test block (D) Edit block
- 47) We can create user - defined exceptions by creating what of exception class ? 215
 (A) In class ☒ (B) Sub class
 (C) Outer class (D) Super class
- 48) Storage devices of a computer system can be broadly classified into how many categories ? 220
 (A) Four (B) Five ☒ (C) Two (D) Three
- 49) Which of the following file is known as binary files ? 220
 (A) Java (B) C (C) Text ☒ (D) MP3
- 50) Which type of value stored in variables are lost when computer is shutdown ? 220
☒ (A) Volatile storage (B) Permanent storage
 (C) Volate storage (D) Non-volatile storage
- 51) Random Access Memory is example of which type of storage ? 220
☒ (A) Volatile storage
 (B) Permanent storage
 (C) Volate storage
 (D) Non-volatile storage
- 52) Which of the following class encapsulates information about the properties of a file or a directory ? 221
 (A) java.io.directory ☒ (B) java.io.File
 (C) javae.File (D) java.directory
- 53) Which of the following method of File class used to returns true if the file exists, otherwise returns false ? 222
 (A) boolean FileExist0
 (B) boolean isDirectory0
 (C) boolean File0 ☒ (D) boolean isFile0
- 54) Java uses which classes to carry out read and write operations on files ? 224
 (A) I/O class (B) Text class
☒ (C) Stream class (D) R/W class
- 55) Which of the following is an abstract representation of an Input or Output device that is used as a source or destination for data ? 224
☒ (A) Stream (B) Steam
 (C) Instance (D) Inheritance
- 56) Which of the following is the sub class of reader class ? 226
 (A) Print Reader ☒ (B) Buffered Reader
 (C) Text Reader (D) Base Reader
- 57) Scanner class belongs to the which package of Java ? 233
 (A) java.io (B) java.RW
 (C) java.lang ☒ (D) java.util
- 58) Which of the following is the default delimiter of Scanner class ? 233
 (A) Colon (B) Semicolon
☒ (C) Empty space (D) Double quotes
- 59) Which class provides a method for reading password ? 237
 (A) Writer class (B) Scanner class
 (C) File class ☒ (D) Console class
- 60) Which of the following Scanner class is used to return the next token ? 233
☒ (A) String nex0 (B) String NToken0
 (C) String next0 (D) String Token0

- 61) LaTeX documents are typically created using which editor in Ubuntu ?
 241 ☒ (A) Gedit (B) Editplus
 (C) Notepad (D) Wordpad
- 62) Which of the following can be used to explicitly specify the logical structure of the document in LaTeX ?
 241 ☒ (A) \title (B) \chapter
 (C) \date (D) \pdf
- 63) What is the file extension of TeX and LaTeX ?
 241 (A) .xet (B) .lat (C) .tar ☒ (D) .tex
- 64) LaTeX commands starts with a which character followed by the command line ?
 242 (A) / (front slash) ☒ (B) \ (back slash)
 (C) # (hash) (D) * (star)
- 65) Which of the following command in LaTeX is used to break lines ?
 242 ☒ (A) \\ (B) ;; (C) # (D) \$
- 66) In LaTeX, option argument is written in which brackets ?
 242 (A) {} ☒ (B) [] (C) () (D) <>
- 67) Which of the following character is reserved in LaTeX ?
 243 (A) , (Comma) ☒ (B) % (Percentage)
 (C) . (Dot) (D) : (Colon)
- 68) Which of the following character is used as comment in LaTeX ?
 258 (A) // ☒ (B) % (C) * (D) #
- 69) In LaTeX, the actual content is always inside the environment document, written between which of the following ?
 244 (A) \s {document} and \stop
 (B) \b and \a
 (C) \begin and \stop
☒ (D) \begin {document} and \end {document}
- 70) Which of the following shortcut is used to compile (Build) LaTeX file in SciTE editor ?
 249 ☒ (A) F5 (B) F4 ☒ (C) F7 (D) F9
- 71) Which of the following command is used in LaTeX to make text as italic effect ?
 250 (A) \ltext ☒ (B) \textit (C) \txtit (D) \tit
- 72) In LaTeX, square root of a number x is denoted by which of the following command ?
 253 ☒ (A) \st {x} (B) \sT {x}
☒ (C) \sqrt {x} (D) \sq {x}
- 73) In LaTeX, which of the following way we can print 'not equal to' symbol (\neq) ?
 252 ☒ (A) \nequal (B) \tn
☒ (C) \neq (D) \div
- 74) Which of the following commands generate the set union symbol ?
 252 (A) \Setunion ☒ (B) \Cup
 (C) \Cap (D) \Union
- 75) Which of the following refer to the very first line in the preamble ?
 244 (A) \title (B) \usepackage
 (C) \maketitle ☒ (D) \documentclass
- 76) Most of the Java syntax is very similar to which language ?
 127 (A) SQL (B) Fortran ☒ (C) C (D) Foxpro
- 77) At which level platform - independence is possible due to bytecode interpreter ?
 127 ☒ (A) Binary level (B) Bottom level
 (C) Source level (D) High level
- 78) The alphabet D in JDK stands for which of the following ?
 127 ☒ (A) Development (B) Department
 (C) Design (D) Desktop
- 79) Which of the following company is best known for its high-end Unix workstations ?
 127 ☒ (A) PC System (B) RIL System
☒ (C) Sun Microsystems (D) Apex System
- 80) Programs written in Java are compiled into machine language for a computer that doesn't really exist. This type of computer is known as what ?
 128 (A) Java Verifier Machine
 (B) Java Virtual Model
 (C) Java Vertical Machine
☒ (D) Java Virtual Machine
- 81) The only disadvantage of using bytecodes is which of the following ?
 128 (A) Fast execution speed
 (B) High execution speed
☒ (C) Slow execution speed
 (D) Random execution speed
- 82) In Java, Java source files name and class they define name should be what ?
 128 ☒ (A) Same (B) Totally different
 (C) Different (D) Vice Versa
- 83) What is the extension of Java source file ?
 128 ☒ (A) .java (B) .JSF (C) .jav (D) .JDK
- 84) Which of the following way user can run "abc.java" source program through the application using Java interpreter ?
 128 ☒ (A) java.abc.obj (B) java ABC
☒ (C) abc.java ☒ (D) java abc

- 85) In Java, the text written in which of the following are comments ? 131
☒ (A) /* */ (B) * */
 (C) /* /* (D) * */
- 86) Which of the following editor is used to create Java source program in Ubuntu ? 128
 (A) Notebook (B) Jedit
 (C) Wordpad ☒ (D) SciTE
- 87) Java consists of function header & the sequence of statements enclosed between which braces ? 132
 (A) [] (B) {} ☒ (C) {} (D) ()
- 88) Java supports how many primitive data type ? 133
 (A) 9 (B) 7 ☒ (C) 8 (D) 6
- 89) Which of the following data type hold real numbers ? 134
☒ (A) double (B) long (C) char (D) byte
- 90) A name used to refer to the data stored in memory is called what ? 134
 (A) Object (B) Value
☒ (C) Variable (D) Function
- 91) Which of the following is illegal way to define variable name in Java ? 135
☒ (A) %Sale (B) \$Price
 (C) B4U (D) Amount\$
- 92) Which of the following is not a reserved word in Java ? 135
 (A) else (B) class (C) static ☒ (D) rate
- 93) Control structures in Java is divided in two types-loops and what ? 137
 (A) Function (B) Message
☒ (C) Branches (D) Alerts
- 94) In Java, which statement is used to exit from the loop structure ? 153
 (A) System(B) Stop (C) Out ☒ (D) Break
- 95) Which of the following is exit - controlled loop in Java ? 152
☒ (A) Do - while (B) For
 (C) While (D) Loop
- 96) Every class we write in Java is generally made up of which of the two components ?
 (A) Behaviour and Information 161
☒ (B) Attributes and Behaviour
 (C) Attributes and Information
 (D) Information and Comments
- 97) A variable declared using class type can only store what ? 161
☒ (A) Reference to an object
 (B) Store an object
 (C) Classified an object
 (D) Interfere an object
- 98) In Java, when objects are no more needed, the memory is claimed back for what ? 162
 (A) Direction (B) Next window
☒ (C) Reuse (D) Assignment
- 99) All instances of class are allocated memory in data structure is called what ? 163
 (A) Leap (B) Zeap ☒ (C) Heap (D) Reap
- 100) Here dot (.) is an operator and associativity of dot operator is from where to where ? 163
☒ (A) Left to right (B) Left to top
 (C) Right to left (D) Left to bottom

Answers of Board Question Paper : March - 2017

Ans. :	(1 - C)	(2 - B)	(3 - A)	(4 - B)	(5 - A)	(6 - C)	(7 - C)	(8 - D)	(9 - A)	(10 - D)
	(11 - D)	(12 - C)	(13 - C)	(14 - D)	(15 - A)	(16 - C)	(17 - D)	(18 - D)	(19 - C)	(20 - D)
	(21 - C)	(22 - D)	(23 - B)	(24 - D)	(25 - A)	(26 - A)	(27 - B)	(28 - D)	(29 - C)	(30 - A)
	(31 - C)	(32 - A)	(33 - C)	(34 - B)	(35 - A)	(36 - C)	(37 - D)	(38 - B)	(39 - B)	(40 - A)
	(41 - D)	(42 - D)	(43 - C)	(44 - A)	(45 - D)	(46 - B)	(47 - B)	(48 - C)	(49 - D)	(50 - A)
	(51 - A)	(52 - A)	(53 - D)	(54 - C)	(55 - A)	(56 - B)	(57 - D)	(58 - C)	(59 - D)	(60 - C)
	(61 - A)	(62 - B)	(63 - D)	(64 - B)	(65 - A)	(66 - B)	(67 - B)	(68 - B)	(69 - D)	(70 - C)
	(71 - B)	(72 - C)	(73 - C)	(74 - B)	(75 - D)	(76 - C)	(77 - A)	(78 - A)	(79 - C)	(80 - D)
	(81 - C)	(82 - A)	(83 - A)	(84 - D)	(85 - A)	(86 - D)	(87 - C)	(88 - C)	(89 - A)	(90 - C)
	(91 - A)	(92 - D)	(93 - C)	(94 - D)	(95 - A)	(96 - B)	(97 - A)	(98 - C)	(99 - C)	(100 - A)

- 1) Variables defined inside methods or blocks are called what ? 167
(A) Instance Variable (B) Class Variable
☒ (C) Local Variable (D) Object Variable
- 2) Variables defined within a class but outside any method is known as what ? 167
(A) Class Variable ☒ (B) Instance Variable
(C) Local Variable (D) Object Variable
- 3) Which of the following word means "many forms" ? 167
☒ (A) Polymorphism (B) Constructor
(C) Instance (D) Method
- 4) In Java we can have different methods that have same name but a different signature. This is called what ? 167
(A) Method loading ☒ (B) Method overloading
(C) Method testing (D) Method uploading
- 5) Which of the following can perform any action; but it is mainly designed to perform initializing actions ? 168
☒ (A) Constructors (B) Confirmation
(C) Contractor (D) Consolidation
- 6) How to define user define no-argument constructor ? 170
(A) Room {} (); (B) Room {()};
☒ (C) Room () {}; (D) Room ({});
- 7) Which of the following is increment operator in Java ? 142
(A) -- (B) ++ ☒ (C) ++ (D) ++
- 8) Which of the following is not a fourth P's of protection ? 170
(A) Package (B) Private
(C) Public ☒ (D) Provide
- 9) To organize classes, where does package statement should be added in the source file ? 170
☒ (A) First non-comment line
(B) Last line
(C) First comment line
(D) Last comment line
- 10) Which of the following is syntax of package ? 170
(A) Package {Classes Name};
(B) Package [{Object Name}];
(C) Package [Object Name];
☒ (D) Package <Package Name>;
- 11) Highest level of protection can be achieved by using which protection level ? 172
(A) Public (B) Protect (C) Pure ☒ (D) Private
- 12) If we want to allow protect data to be used by others, then which methods we write ? 174
☒ (A) Accessor (B) Changer
(C) Mutator (D) Allowor
- 13) If we want to allow protect data to be used by others to read only the data value, then we should use which method ? 174
(A) Mutator (B) Changer
☒ (C) Getter (D) Allowor
- 14) Which of the following in object oriented programming language provide reusability feature ? 176
(A) Substation (B) Objection
(C) Inaddition ☒ (D) Inheritance
- 15) Which type of relationship inheritance uses between two classes ? 176
(A) 'have-a' ☒ (B) 'is-a'
(C) 'has-a' (D) 'are-a'
- 16) Which of the following is useful to represent vector, matrix and other multi-dimensional data ? 186
(A) Variable (B) Box
☒ (C) Array (D) Structure
- 17) Which of the following is used to represent 2D data structure like table of rows and columns ? 186
(A) Variable (B) Box
(C) Array ☒ (D) Matrix
- 18) When we define Array, Index value starts with what ? 187
(A) 1 (B) 7 (C) 2 ☒ (D) 0 (zero)
- 19) If we have defined array like
int marks [] = {7, 9, 11, 13, 15, 17};
then what will be the value of marks[4] ? 9
☒ (A) 13 (B) 9 ☒ (C) 15 (D) 17
- 20) Which of the following class is utilise in array to use methods Sort(); ? 189
(A) Java.math.Arrays (B) Java.AllArrays
(C) Java.Function.Arrays
☒ (D) Java.util.Arrays
- 21) To search an element in an array, Array class provides which method ? 190
(A) Element Search() (B) Search Element()
☒ (C) binarySearch() (D) Binary Element()

- 22) If in Java 2D Array is defined like
`int marks [] [] = new int [6] [4];` 191
 then, how many integers are stored in memory using contiguous memory?
 (A) 64 (B) 10 (C) 42 ☒ (D) 24
- 23) To initialize 2-D arrays, all these initialized rows are to be enclosed in curly braces {} and separated by what? 192
 (A) Dot ☒ (B) Comma
 (C) Semicolon (D) Colon
- 24) Java supports two types of strings that are handled by two classes namely as below?
 (A) String and Buffered 194
 (B) String and Buffers
 (C) String and String Buffered
☒ (D) String and String Buffer
- 25) Which of the following constructor used to create a string object that refers to the literal specified in argument? 194
☒ (A) String (string literal)
 (B) String (string arg {})
 (C) String (char arg [])
 (D) String (arg [] char)
- 26) Which of the following method of string class used to return true if invoking string is same as Str? 196
☒ (A) boolean equals (String str)
 (B) boolean (String str)
 (C) int CompareTo (String str)
 (D) int Compare (String str)
- 27) Which of the following string method is used to return number of characters in invoking string? 197
 (A) int invoke() ☒ (B) int length()
 (C) int con() (D) int find()
- 28) Which of the following method is used to return strings with all characters of invoking string converted to uppercase?
 (A) String CaseUpper()
 (B) String UPPER()
 (C) String Upper()
☒ (D) String.toUpperCase()
- 29) Which of the following method string class of Java does not provide?
 (A) Lowercase of a string
 (B) Uppercase of a string
☒ (C) Reverse a string
 (D) Concating a string
- 30) Java library also provide Data class in which package? 198
☒ (A) Java.util (B) Java.util.Date
 (C) Java.date.util (D) Java.Date.util
- 31) Which of the following method of Date is used to construct Date object using current system time? 199
 (A) int DateCurr() (B) CurrTime()
☒ (C) Date() (D) int CurrTime()
- 32) Which class can be used to extract detailed information like year, month, date, hour, minute & second? 199
☒ (A) Calendar class (B) Month class
 (C) Year class (D) Second class
- 33) Which of the following class encapsulate both date and time and represent the values using milliseconds precision? 199
 (A) Year class (B) TDate class
☒ (C) Date class (D) Time class
- 34) Which of the following constant of calendar class helps to display week number within the month? 200
 (A) WEEK_OF_NUMBER
☒ (B) WEEK_OF_MONTH
 (C) WEEK_OF_YEAR
 (D) WEEK_OF_NMONTH
- 35) If 'Str' is the object of string class and its content is 'GUJARAT', then what is the value of Str.length()? 200
☒ (A) 7 (B) 6 (C) 8 (D) 9
- 36) In Java, all types of error conditions are called as what? 203
 (A) Error creator (B) Major problem
☒ (C) Exceptions (D) Extraction
- 37) In Java, if there is a Syntax error in the program then which of the following extension type file will not created? 203
 (A) .Err (B) .Jav (C) .Java ☒ (D) .Class
- 38) Which of the following errors are usually the mistakes of a programmer and it won't allow the program to compile unless they are solved?
 (A) Run - time errors 204
☒ (B) Compile - time errors
 (C) Compile - time - finder
 (D) Programmer - error - finder
- 39) Which of the following Exit code or Exit status indicates that the command executed successfully in Java? 204
 (A) 1 (one) ☒ (B) 0 (zero)
 (C) 2 (two) (D) 3 (three)

- 40) Which of the following package contains a hierarchy of classes dealing with various exceptions ? 205
☒ (A) java.io and java.lang
 (B) java.Excep and java.io
 (C) java.Array and java.lang
 (D) java.Exp and java.io
- 41) Which of the following exception class handle an I/O error while printing ? 205
 (A) PRINTERERROR (B) PrintIOHandle
 (C) PrinterException ☒ (D) PrinterIOException
- 42) Which of the following keyword is not used in writing an exception handler ? 206
 (A) Catch (B) Finally (C) Try ☒ (D) Drop
- 43) Which of the following block contains the code that may give rise to one or more exceptions in exception handler ? 206
 (A) Catch (B) Finally ☒ (C) Try (D) Drop
- 44) Which of the following block must immediately follow the try block ? 206
☒ (A) Catch block (B) Throw clause
 (C) Throw block (D) Throw statement
- 45) When there is a multiple catch blocks are used then which catch block is considered as a default catch block ? 211
 (A) Middle catch block
 (B) First catch block
 (C) Second last catch block
☒ (D) Last catch block
- 46) Which of the following block is always executed, regardless of whether or not exceptions are thrown during the execution of the associated try block ? 211
 (A) Catch block ☒ (B) Finally block
 (C) Test block (D) Edit block
- 47) We can create user - defined exceptions by creating what of exception class ? 215
 (A) In class ☒ (B) Sub class
 (C) Outer class (D) Super class
- 48) Storage devices of a computer system can be broadly classified into how many categories ? 220
 (A) Four (B) Five ☒ (C) Two (D) Three
- 49) Which of the following file is known as binary files ? 220
 (A) Java (B) C (C) Text ☒ (D) MP3
- 50) Which type of value stored in variables are lost when computer is shutdown ? 220
☒ (A) Volatile storage (B) Permanent storage
 (C) Volate storage (D) Non-volatile storage
- 51) Random Access Memory is example of which type of storage ? 220
☒ (A) Volatile storage
 (B) Permanent storage
 (C) Volate storage
 (D) Non-volatile storage
- 52) Which of the following class encapsulates information about the properties of a file or a directory ? 221
 (A) java.io.directory ☒ (B) java.io.File
 (C) java.File (D) java.directory
- 53) Which of the following method of File class used to returns true if the file exists, otherwise returns false ? 222
 (A) boolean FileExist()
 (B) boolean isDirectory()
 (C) boolean File() ☒ (D) boolean isFile()
- 54) Java uses which classes to carry out read and write operations on files ? 224
 (A) I/O class (B) Text class
☒ (C) Stream class (D) R/W class
- 55) Which of the following is an abstract representation of an Input or Output device that is used as a source or destination for data ? 224
☒ (A) Stream (B) Steam
 (C) Instance (D) Inheritance
- 56) Which of the following is the sub class of reader class ? 226
 (A) Print Reader ☒ (B) Buffered Reader
 (C) Text Reader (D) Base Reader
- 57) Scanner class belongs to the which package of Java ? 233
 (A) java.io (B) java.RW
 (C) java.lang ☒ (D) java.util
- 58) Which of the following is the default delimiter of Scanner class ? 233
 (A) Colon (B) Semicolon
☒ (C) Empty space (D) Double quotes
- 59) Which class provides a method for reading password ? 237
 (A) Writer class (B) Scanner class
 (C) File class ☒ (D) Console class
- 60) Which of the following Scanner class is used to return the next token ? 233
 (A) String nex0 (B) String NToken0
☒ (C) String next0 (D) String Token0

61) LaTeX documents are typically created using which editor in Ubuntu ?

- 241 ☒ (A) Gedit (B) Editplus
(C) Notepad (D) Wordpad

62) Which of the following can be used to explicitly specify the logical structure of the document in LaTeX ?

- 241 ☒ (A) \title (B) \chapter
(C) \date (D) \pdf

63) What is the file extension of TeX and LaTeX ?

- 241 (A) .Xet (B) .Lat (C) .tar ☒ (D) .tex

64) LaTeX commands starts with a which character followed by the command line ?

- 242 (A) / (front slash) ☒ (B) \ (back slash)
(C) # (hash) (D) * (star)

65) Which of the following command in LaTeX is used to break lines ?

- ☒ (A) \\ (B) ;; (C) # (D) \$

66) In LaTeX, option argument is written in which brackets ?

- (A) {} ☒ (B) [] (C) () (D) <>

67) Which of the following character is reserved in LaTeX ?

- (A) , (Comma) ☒ (B) % (Percentage)
(C) . (Dot) (D) : (Colon)

68) Which of the following character is used as comment in LaTeX ?

- 258 (A) // ☒ (B) % (C) * (D) #

69) In LaTeX, the actual content is always inside the environment document, written between which of the following ?

- 244 (A) \s {document} and \stop
(B) \b and \a
(C) \begin and \stop
☒ (D) \begin {document} and \end {document}

70) Which of the following shortcut is used to compile (Build) LaTeX file in SciTE editor ?

- 249 ☒ (A) F5 (B) F4 ☒ (C) F7 (D) F9

71) Which of the following command is used in LaTeX to make text as italic effect ?

- 250 (A) \ittext ☒ (B) \textit (C) \txtit (D) \tit

72) In LaTeX, square root of a number x is denoted by which of the following command ?

- 253 (A) \st {x} (B) \sT {x}
☒ (C) \sqrt {x} (D) \sq {x}

73) In LaTeX, which of the following way we can print 'not equal to' symbol (\neq) ?

- 252 ☒ (A) \nequal (B) \tn
☒ (C) \neq (D) \div

74) Which of the following commands generate the set union symbol ?

- 252 (A) \Setunion ☒ (B) \Cup
(C) \Cap (D) \Union

75) Which of the following refer to the very first line in the preamble ?

- 244 (A) \title (B) \usepackage
(C) \maketitle ☒ (D) \documentclass

76) Most of the Java syntax is very similar to which language ?

- 127 (A) SQL (B) Fortran ☒ (C) C (D) Foxpro

77) At which level platform - independence is possible due to bytecode interpreter ?

- 127 ☒ (A) Binary level (B) Bottom level
(C) Source level (D) High level

78) The alphabet D in JDK stands for which of the following ?

- 127 ☒ (A) Development (B) Department
(C) Design (D) Desktop

79) Which of the following company is best known for its high-end Unix workstations ?

- 127 (A) PC System (B) RIL System
☒ (C) Sun Microsystems (D) Apex System

80) Programs written in Java are compiled into machine language for a computer that doesn't really exist. This type of computer is known as what ?

- 128 (A) Java Verifier Machine
(B) Java Virtual Model
(C) Java Vertical Machine
☒ (D) Java Virtual Machine

81) The only disadvantage of using bytecodes is which of the following ?

- 128 (A) Fast execution speed
(B) High execution speed
☒ (C) Slow execution speed
(D) Random execution speed

82) In Java, Java source files name and class they define name should be what ?

- 128 ☒ (A) Same (B) Totally different
(C) Different (D) Vice Versa

83) What is the extension of Java source file ?

- 128 ☒ (A) Java (B) JSF (C) Jav (D) JDK

84) Which of the following way user can run "abc. Java" source program through the application using Java interpreter ?

- 128 ☒ (A) java.abc.obj (B) java ABC
☒ (C) abc.Java ☒ (D) java abc

- 85) In Java, the text written in which of the following are comments ? 131
☒ (A) /* */ (B) * */
 (C) /* /* (D) * *\
- 86) Which of the following editor is used to create Java source program in Ubuntu ? 128
 (A) Notebook (B) Jedit
 (C) Wordpad ☒ (D) SciTE
- 87) Java consists of function header & the sequence of statements enclosed between which braces ? 132
 (A) [] (B) {} ☒ (C) {} (D) ()
- 88) Java supports how many primitive data type ? 133
 (A) 9 (B) 7 ☒ (C) 8 (D) 6
- 89) Which of the following data type hold real numbers ? 134
☒ (A) double (B) long (C) char (D) byte
- 90) A name used to refer to the data stored in memory is called what ? 134
 (A) Object (B) Value
☒ (C) Variable (D) Function
- 91) Which of the following is illegal way to define variable name in Java ? 135
☒ (A) %Sale (B) \$Price
 (C) B4U (D) Amount\$
- 92) Which of the following is not a reserved word in Java ? 135
 (A) else (B) class (C) static ☒ (D) rate
- 93) Control structures in Java is divided in two types-loops and what ? 137
 (A) Function (B) Message
☒ (C) Branches (D) Alerts
- 94) In Java, which statement is used to exit from the loop structure ? 153
 (A) System(B) Stop (C) Out ☒ (D) Break
- 95) Which of the following is exit - controlled loop in Java ? 152
☒ (A) Do - while (B) For
 (C) While (D) Loop
- 96) Every class we write in Java is generally made up of which of the two components ? 161
 (A) Behaviour and Information
☒ (B) Attributes and Behaviour
 (C) Attributes and Information
 (D) Information and Comments
- 97) A variable declared using class type can only store what ? 161
☒ (A) Reference to an object
 (B) Store an object
 (C) Classified an object
 (D) Interfere an object
- 98) In Java, when objects are no more needed, the memory is claimed back for what ? 162
 (A) Direction (B) Next window
☒ (C) Reuse (D) Assignment
- 99) All instances of class are allocated memory in data structure is called what ? 163
 (A) Leap (B) Zeap ☒ (C) Heap (D) Reap
- 100) Here dot (.) is an operator and associativity of dot operator is from where to where ? 163
☒ (A) Left to right (B) Left to top
 (C) Right to left (D) Left to bottom



Answers of Board Question Paper : March - 2017

Ans. :	(1 - C)	(2 - B)	(3 - A)	(4 - B)	(5 - A)	(6 - C)	(7 - C)	(8 - D)	(9 - A)	(10 - D)
	(11 - D)	(12 - C)	(13 - C)	(14 - D)	(15 - A)	(16 - C)	(17 - D)	(18 - D)	(19 - C)	(20 - D)
	(21 - C)	(22 - D)	(23 - B)	(24 - D)	(25 - A)	(26 - A)	(27 - B)	(28 - D)	(29 - C)	(30 - A)
	(31 - C)	(32 - A)	(33 - C)	(34 - B)	(35 - A)	(36 - C)	(37 - D)	(38 - B)	(39 - B)	(40 - A)
	(41 - D)	(42 - D)	(43 - C)	(44 - A)	(45 - D)	(46 - B)	(47 - B)	(48 - C)	(49 - D)	(50 - A)
	(51 - A)	(52 - A)	(53 - D)	(54 - C)	(55 - A)	(56 - B)	(57 - D)	(58 - C)	(59 - D)	(60 - C)
	(61 - A)	(62 - B)	(63 - D)	(64 - B)	(65 - A)	(66 - B)	(67 - B)	(68 - B)	(69 - D)	(70 - C)
	(71 - B)	(72 - C)	(73 - C)	(74 - B)	(75 - D)	(76 - C)	(77 - A)	(78 - A)	(79 - C)	(80 - D)
	(81 - C)	(82 - A)	(83 - A)	(84 - D)	(85 - A)	(86 - D)	(87 - C)	(88 - C)	(89 - A)	(90 - C)
	(91 - A)	(92 - D)	(93 - C)	(94 - D)	(95 - A)	(96 - B)	(97 - A)	(98 - C)	(99 - C)	(100 - A)

